

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
 Data File : VV028827.D
 Acq On : 01 Nov 2022 20:04
 Operator : SY/MD
 Sample : N5301-06
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWQ3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

Signal : TIC: VV028827.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	76	83	102	rBV2	225451	253120	2.27%	0.784%
2	1.564	156	163	175	rVB	181349	212830	1.91%	0.659%
3	2.105	321	331	346	rBV2	379731	582553	5.22%	1.804%
4	2.683	510	511	514	rVB3	2216	875	0.01%	0.003%
5	2.754	521	533	561	rBV	2653259	4502174	40.35%	13.944%
6	3.314	706	707	710	rVB4	1661	523	0.00%	0.002%
7	3.342	714	716	718	rBV3	1413	668	0.01%	0.002%
8	3.423	739	741	743	rBV3	1413	809	0.01%	0.003%
9	3.465	752	754	758	rVB5	2057	1264	0.01%	0.004%
10	3.490	759	762	766	rBV6	1588	1169	0.01%	0.004%
11	3.529	772	774	775	rVB2	1068	290	0.00%	0.001%
12	3.545	777	779	781	rVB3	1155	356	0.00%	0.001%
13	3.587	790	792	793	rBV2	1640	659	0.01%	0.002%
14	3.667	815	817	819	rBV3	1094	379	0.00%	0.001%
15	3.799	855	858	860	rBV3	2057	1507	0.01%	0.005%
16	3.902	871	890	930	rBV	4603003	11157302	100.00%	34.556%
17	4.342	1014	1027	1053	rVB	240448	590052	5.29%	1.828%
18	4.844	1182	1183	1184	rBV	906	347	0.00%	0.001%
19	5.040	1228	1244	1282	rBV2	590512	1623774	14.55%	5.029%
20	5.612	1410	1422	1450	rBV	507024	1034012	9.27%	3.203%
21	5.850	1489	1496	1499	rBV8	2210	3564	0.03%	0.011%
22	5.908	1500	1514	1545	rVV	2586024	4963841	44.49%	15.374%
23	6.066	1552	1563	1587	rVB	363255	733322	6.57%	2.271%
24	6.346	1649	1650	1652	rBV2	1656	552	0.00%	0.002%
25	6.873	1812	1814	1816	rBV3	1125	496	0.00%	0.002%
26	6.911	1822	1826	1829	rBV5	1592	1209	0.01%	0.004%
27	6.982	1838	1848	1874	rBV	170474	322065	2.89%	0.998%
28	7.310	1939	1950	1972	rBV	654539	1146917	10.28%	3.552%
29	7.616	2037	2045	2064	rBV	108047	190481	1.71%	0.590%
30	7.973	2150	2156	2172	rVB2	44575	73771	0.66%	0.228%
31	8.085	2182	2191	2229	rBV	425154	838402	7.51%	2.597%
32	8.532	2329	2330	2331	rBV	1142	353	0.00%	0.001%
33	8.635	2361	2362	2363	rBV	879	294	0.00%	0.001%
34	8.783	2407	2408	2411	rBV3	1240	438	0.00%	0.001%
35	8.847	2417	2428	2448	rBV	741452	1216716	10.91%	3.768%
36	9.345	2581	2583	2586	rVB4	1856	895	0.01%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
 Data File : VV028827.D
 Acq On : 01 Nov 2022 20:04
 Operator : SY/MD
 Sample : N5301-06
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWQ3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

37	9.403	2599	2601	2602	rBV2	945	266	0.00%	0.001%
38	9.587	2653	2658	2661	rBV5	1867	1708	0.02%	0.005%
39	9.776	2711	2717	2720	rBV7	2499	2738	0.02%	0.008%
40	9.796	2721	2723	2726	rVB4	1622	746	0.01%	0.002%
41	9.879	2746	2749	2752	rBV5	997	826	0.01%	0.003%
42	9.966	2774	2776	2778	rVB3	1568	742	0.01%	0.002%
43	9.979	2778	2780	2781	rBV2	1123	528	0.00%	0.002%
44	10.017	2788	2792	2794	rBV5	951	795	0.01%	0.002%
45	10.085	2807	2813	2817	rBV9	2218	2918	0.03%	0.009%
46	10.133	2825	2828	2830	rBV4	1376	816	0.01%	0.003%
47	10.207	2839	2851	2868	rBV	458971	742183	6.65%	2.299%
48	10.336	2889	2891	2894	rBV4	2171	1765	0.02%	0.005%
49	10.657	2989	2991	2992	rBV2	935	448	0.00%	0.001%
50	10.754	3019	3021	3024	rBV4	1683	853	0.01%	0.003%
51	10.921	3069	3073	3077	rBV6	1641	1475	0.01%	0.005%
52	11.120	3132	3135	3137	rBV4	1089	758	0.01%	0.002%
53	11.239	3161	3172	3197	rBV	643150	1057830	9.48%	3.276%
54	11.615	3278	3289	3308	rBV	607879	974936	8.74%	3.020%
55	11.943	3388	3391	3394	rVB5	2338	1488	0.01%	0.005%
56	11.959	3394	3396	3398	rBV3	1613	939	0.01%	0.003%
57	12.017	3411	3414	3415	rBV3	1475	777	0.01%	0.002%
58	12.066	3426	3429	3431	rBV4	1298	680	0.01%	0.002%
59	12.082	3431	3434	3436	rVV3	1334	825	0.01%	0.003%
60	12.149	3452	3455	3458	rBV5	2128	1408	0.01%	0.004%
61	12.165	3458	3460	3461	rVV2	793	219	0.00%	0.001%
62	12.181	3461	3465	3468	rVV5	1256	798	0.01%	0.002%
63	12.426	3539	3541	3548	rVB5	2576	2356	0.02%	0.007%
64	12.461	3548	3552	3556	rBV5	1919	2188	0.02%	0.007%
65	12.477	3556	3557	3558	rBV	863	283	0.00%	0.001%
66	12.619	3597	3601	3603	rBV5	1908	1163	0.01%	0.004%
67	12.660	3613	3614	3615	rBV	633	186	0.00%	0.001%
68	12.734	3635	3637	3639	rBV3	1436	644	0.01%	0.002%
69	12.824	3661	3665	3668	rBV6	1770	1430	0.01%	0.004%
70	13.037	3729	3731	3732	rBV2	913	302	0.00%	0.001%
71	13.085	3742	3746	3747	rBV4	991	669	0.01%	0.002%
72	13.165	3769	3771	3772	rVB2	1022	312	0.00%	0.001%
73	13.175	3772	3774	3775	rBV2	1088	590	0.01%	0.002%
74	13.239	3792	3794	3797	rBV3	1271	703	0.01%	0.002%
75	13.258	3798	3800	3801	rBV2	1514	637	0.01%	0.002%
76	13.297	3811	3812	3814	rVB2	907	239	0.00%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
 Data File : VV028827.D
 Acq On : 01 Nov 2022 20:04
 Operator : SY/MD
 Sample : N5301-06
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWQ3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

77	13.310	3814	3816	3821	rBV6	1163	1242	0.01%	0.004%
78	13.355	3828	3830	3833	rBV3	1570	1034	0.01%	0.003%
79	13.416	3847	3849	3851	rBV3	1577	732	0.01%	0.002%
80	13.445	3856	3858	3859	rBV2	1138	421	0.00%	0.001%
81	13.496	3870	3874	3875	rBV4	1413	793	0.01%	0.002%
82	13.615	3906	3911	3913	rBV6	1669	1367	0.01%	0.004%
83	13.644	3918	3920	3921	rBV2	1206	516	0.00%	0.002%
84	13.657	3921	3924	3927	rVB6	1372	928	0.01%	0.003%
85	13.673	3927	3929	3930	rBV2	1333	625	0.01%	0.002%
86	13.840	3979	3981	3983	rBV2	1748	804	0.01%	0.002%
87	13.866	3986	3989	3991	rVB4	1442	856	0.01%	0.003%
88	13.924	4004	4007	4008	rBV3	927	519	0.00%	0.002%
89	13.982	4023	4025	4027	rBV3	1906	930	0.01%	0.003%
90	14.242	4102	4106	4111	rBV7	2346	3426	0.03%	0.011%
91	14.548	4197	4201	4203	rBV5	1501	913	0.01%	0.003%
92	14.686	4242	4244	4252	rBV9	2030	2086	0.02%	0.006%
93	15.274	4425	4427	4429	rBV3	1747	880	0.01%	0.003%

Sum of corrected areas: 32287218

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
Data File : VV028827.D
Acq On : 01 Nov 2022 20:04
Operator : SY/MD
Sample : N5301-06
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWQ3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
Data File : VV028827.D
Acq On : 01 Nov 2022 20:04
Operator : SY/MD
Sample : N5301-06
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWQ3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc