

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW112322\
 Data File : VW029322.D
 Acq On : 24 Nov 2022 02:47
 Operator : SY/MD
 Sample : N5725-17
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BHB70

Manual Integrations
 APPROVED

Reviewed By : John Carlone 11/25/2022
 Supervised By : Mahesh Dadoda 11/25/2022

Quant Time: Nov 24 03:43:11 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112322WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Nov 24 01:40:30 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.609	114	268053	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.844	117	242278	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.239	152	124248	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	73531	4.458	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.200%
7) Chloroethane-d5	1.564	69	56525	4.681	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.600%
11) 1,1-Dichloroethene-d2	2.105	63	88060	3.336	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.800%
20) 2-Butanone-d5	3.905	46	143659	52.058	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.120%
24) Chloroform-d	4.339	84	137473	4.669	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.400%
26) 1,2-Dichloroethane-d4	5.027	65	67808	5.234	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.600%
32) Benzene-d6	5.043	84	306829	4.582	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.600%
36) 1,2-Dichloropropane-d6	6.063	67	87900	4.672	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.400%
41) Toluene-d8	7.307	98	284191	4.497	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.000%
43) trans-1,3-Dichloroprop...	7.616	79	32221	4.442	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.800%
46) 2-Hexanone-d5	8.085	63	132333	51.177	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	102.360%
56) 1,1,2,2-Tetrachloroeth...	10.207	84	60400	5.202	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.000%
66) 1,2-Dichlorobenzene-d4	11.612	152	108980	5.021	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.400%
Target Compounds					Qvalue	
13) Acetone	2.198	43	8997m	4.484	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV112322\
Data File : VV029322.D
Acq On : 24 Nov 2022 02:47
Operator : SY/MD
Sample : N5725-17
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 28 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
BHB70

Manual Integrations
APPROVED

Reviewed By : John Carlone 11/25/2022
Supervised By : Mahesh Dadoda 11/25/2022


Quant Time: Nov 24 03:43:11 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112322WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Nov 24 01:40:30 2022
Response via : Initial Calibration





#13
Acetone
Concen: 4.484 ug/L m
RT: 2.198 min Scan# 30
Delta R.T. -0.010 min
Lab File: VV029322.D
Acq: 24 Nov 2022 02:47

Instrument :
MSVOA_V
ClientSampleId :
BHB70



Tgt Ion: 43 Resp: 899
Ion Ratio Lower Upper
43 100
58 15.7 0.0 70.8

Manual Integrations
APPROVED

Reviewed By :John Carlone 11/25/2022
Supervised By :Mahesh Dadoda 11/25/2022

