

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092722\
 Data File : VV028142.D
 Acq On : 27 Sep 2022 16:18
 Operator : SY/MD
 Sample : N4856-03
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F5H29

Quant Time: Sep 28 03:12:08 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092222WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Sep 28 03:08:11 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.612	114	180036	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	175404	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.246	152	85533	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.301	65	55813	2.990	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	59.800%
7) Chloroethane-d5	1.561	69	52501	3.538	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	70.800%
11) 1,1-Dichloroethene-d2	2.101	63	74893	2.313	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	46.200%#
20) 2-Butanone-d5	3.889	46	166054	52.697	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	105.400%
24) Chloroform-d	4.342	84	123974	4.162	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.200%
26) 1,2-Dichloroethane-d4	5.027	65	61820	4.362	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.200%
32) Benzene-d6	5.043	84	228711	3.977	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.600%
36) 1,2-Dichloropropane-d6	6.066	67	74990	4.182	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	83.600%
41) Toluene-d8	7.313	98	179657	3.451	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	69.000%#
43) trans-1,3-Dichloroprop...	7.622	79	25210	3.892	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	77.800%
46) 2-Hexanone-d5	8.085	63	136368	50.448	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.900%
56) 1,1,2,2-Tetrachloroeth...	10.214	84	59082	4.821	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.400%
66) 1,2-Dichlorobenzene-d4	11.622	152	76679	4.571	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	91.400%
Target Compounds						
					Qvalue	
47) Tetrachloroethene	7.973	164	57105	5.901	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092722\
Data File : VV028142.D
Acq On : 27 Sep 2022 16:18
Operator : SY/MD
Sample : N4856-03
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F5H29

Quant Time: Sep 28 03:12:08 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092222WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Sep 28 03:08:11 2022
Response via : Initial Calibration

