

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV093022\
 Data File : VV028259.D
 Acq On : 01 Oct 2022 05:08
 Operator : SY/MD
 Sample : N4856-15
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 45 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F5H42

Quant Time: Oct 01 05:43:24 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092222WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 29 01:25:35 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.613	114	195348	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	195789	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.246	152	89289	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.301	65	63968	3.159	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	63.200%	
7) Chloroethane-d5	1.561	69	58958	3.662	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	73.200%	
11) 1,1-Dichloroethene-d2	2.101	63	93687	2.667	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	53.400%#	
20) 2-Butanone-d5	3.896	46	138597	40.536	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	81.080%	
24) Chloroform-d	4.339	84	132751	4.108	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	82.200%	
26) 1,2-Dichloroethane-d4	5.027	65	63508	4.130	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	82.600%	
32) Benzene-d6	5.043	84	267929	4.174	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	83.400%	
36) 1,2-Dichloropropane-d6	6.063	67	82033	4.099	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	82.000%	
41) Toluene-d8	7.310	98	225103	3.874	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	77.400%	
43) trans-1,3-Dichloroprop...	7.622	79	22883	3.165	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	63.400%	
46) 2-Hexanone-d5	8.088	63	124954	41.413	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	82.820%	
56) 1,1,2,2-Tetrachloroeth...	10.214	84	62565	4.573	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	91.400%	
66) 1,2-Dichlorobenzene-d4	11.622	152	82964	4.737	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	94.800%	
Target Compounds						Qvalue
14) Carbon disulfide	2.285	76	29008	1.120	ug/L	98
33) Benzene	5.104	78	6666	0.123	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV093022\
Data File : VV028259.D
Acq On : 01 Oct 2022 05:08
Operator : SY/MD
Sample : N4856-15
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 45 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F5H42

Quant Time: Oct 01 05:43:24 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092222WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Sep 29 01:25:35 2022
Response via : Initial Calibration

