

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV011420\
 Data File : VV014293.D
 Acq On : 14 Jan 2020 13:38
 Operator : SY/MD
 Sample : L1109-22
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GASJ1

Quant Time: Jan 14 22:50:53 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR010220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Jan 14 22:19:33 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	965381	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	873302	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	397055	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	249217	3.69	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	73.80%
7) Chloroethane-d5	1.59	69	213380	4.09	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	81.80%
11) 1,1-Dichloroethene-d2	2.13	63	322542	3.24	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	64.80%
20) 2-Butanone-d5	3.94	46	746636	46.01	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	92.02%
24) Chloroform-d	4.40	84	551205	4.22	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.40%
26) 1,2-Dichloroethane-d4	5.08	65	282478	4.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.40%
32) Benzene-d6	5.10	84	1155857	4.43	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.60%
36) 1,2-Dichloropropane-d6	6.12	67	365609	4.53	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.60%
41) Toluene-d8	7.36	98	1016301	4.27	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.40%
43) trans-1,3-Dichloropropene-	7.66	79	150541	4.21	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.20%
46) 2-Hexanone-d5	8.13	63	674018	44.54	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	89.08%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	255836	4.53	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.60%
64) 1,2-Dichlorobenzene-d4	11.67	152	326873	4.39	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	87.80%


Target Compounds					Ovalue
13) Acetone	2.20	43	14495	1.297 ug/L	82


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV011420\
Data File : VV014293.D
Acq On : 14 Jan 2020 13:38
Operator : SY/MD
Sample : L1109-22
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GASJ1

Quant Time: Jan 14 22:50:53 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR010220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Jan 14 22:19:33 2020
Response via : Initial Calibration





#13

Acetone

Concen: 1.297 ug/L

RT: 2.20 min Scan# 346

Delta R.T. -0.03 min

Lab File: VV014293.D

Acq: 14 Jan 2020 13:38

Instrument :
MSVOA_V
ClientSampleId :
GASJ1

Tot Ion: 43 Resp: 14495

Ion Ratio Lower Upper

43 100

58 23.0 0.0 66.0

