




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011722\
 Data File : VV024380.D
 Acq On : 17 Jan 2022 17:31
 Operator : SY/MD
 Sample : N1115-13ME
 Misc : 6.31g/5.0mL/100uL/5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGLS3ME

Manual IntegrationsAPPROVED

Quant Time: Jan 18 05:57:53 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM123121WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 13 02:28:22 2022
 Response via : Initial Calibration

Reviewed By :John Carlone 01/19/2022
 Supervised By :Mahesh Dadoda 01/20/2022



TIC: VV024380.D\data.ms

(48) 2-Hexanone (T)

8.152min (+ 0.016) 7.08 ug/L

response 17115

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	56.20	44.39#
57.00	21.10	14.41#
100.00	16.20	11.93#




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011722\
 Data File : VV024380.D
 Acq On : 17 Jan 2022 17:31
 Operator : SY/MD
 Sample : N1115-13ME
 Misc : 6.31g/5.0mL/100uL/5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGLS3ME

Manual IntegrationsAPPROVED

Quant Time: Jan 18 05:57:53 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM123121WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 13 02:28:22 2022
 Response via : Initial Calibration

Reviewed By :John Carlone 01/19/2022
 Supervised By :Mahesh Dadoda 01/20/2022



TIC: VV024380.D\data.ms

(48) 2-Hexanone (T)

8.152min (+ 0.016) 9.30 ug/L m

response 22500

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	56.20	33.76#
57.00	21.10	10.96#
100.00	16.20	9.07#

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011722\
 Data File : VV024380.D
 Acq On : 17 Jan 2022 17:31
 Operator : SY/MD
 Sample : N1115-13ME
 Misc : 6.31g/5.0mL/100uL/5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGLS3ME

Manual IntegrationsAPPROVED

Reviewed By : John Carlone 01/19/2022
 Supervised By : Mahesh Dadoda 01/20/2022

Quant Time: Jan 18 05:57:53 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM123121WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 13 02:28:22 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	415708	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	386035	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	199653	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	197539	66.027	ug/L	0.00
Spiked Amount 50.000	Range 60	- 135	Recovery	=	132.060%	
7) Chloroethane-d5	1.568	69	144449	63.557	ug/L	0.00
Spiked Amount 50.000	Range 70	- 130	Recovery	=	127.120%	
11) 1,1-Dichloroethene-d2	2.104	63	293490	52.488	ug/L	0.00
Spiked Amount 50.000	Range 60	- 125	Recovery	=	104.980%	
21) 2-Butanone-d5	3.883	46	303805	182.262	ug/L	0.00
Spiked Amount 100.000	Range 40	- 130	Recovery	=	182.260%#	
24) Chloroform-d	4.346	84	430995	78.822	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	157.640%#	
26) 1,2-Dichloroethane-d4	5.030	65	284544	77.724	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	155.440%#	
32) Benzene-d6	5.046	84	869454	86.308	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	172.620%#	
36) 1,2-Dichloropropane-d6	6.069	67	268844	95.225	ug/L	0.00
Spiked Amount 50.000	Range 70	- 120	Recovery	=	190.460%#	
41) Toluene-d8	7.313	98	826874	84.775	ug/L	0.00
Spiked Amount 50.000	Range 80	- 120	Recovery	=	169.560%#	
43) trans-1,3-Dichloroprop...	7.619	79	139533	85.829	ug/L	0.00
Spiked Amount 50.000	Range 60	- 125	Recovery	=	171.660%#	
47) 2-Hexanone-d5	8.088	63	224222	182.802	ug/L	0.00
Spiked Amount 100.000	Range 45	- 130	Recovery	=	182.800%#	
56) 1,1,2,2-Tetrachloroeth...	10.213	84	349788	86.696	ug/L	0.00
Spiked Amount 50.000	Range 65	- 120	Recovery	=	173.400%#	
66) 1,2-Dichlorobenzene-d4	11.625	152	348150	87.484	ug/L	0.00
Spiked Amount 50.000	Range 80	- 120	Recovery	=	174.960%#	
Target Compounds						
						Qvalue
13) Acetone	2.178	43	5321	3.233	ug/L	84
42) Toluene	7.394	91	14652	1.330	ug/L	96
48) 2-Hexanone	8.152	43	22500m	9.305	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011722\
Data File : VV024380.D
Acq On : 17 Jan 2022 17:31
Operator : SY/MD
Sample : N1115-13ME
Misc : 6.31g/5.0mL/100uL/5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BGLS3ME

Manual IntegrationsAPPROVED

Quant Time: Jan 18 05:57:53 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM123121WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 13 02:28:22 2022
Response via : Initial Calibration

Reviewed By :John Carlone 01/19/2022
Supervised By :Mahesh Dadoda 01/20/2022

