

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW011822\
 Data File : VW024397.D
 Acq On : 18 Jan 2022 16:35
 Operator : SY/MD
 Sample : N1132-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Quant Time: Jan 19 01:06:24 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM123121WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jan 19 01:03:04 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.613	114	287232	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	266596	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.246	152	132200	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	86371	41.782	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.560%
7) Chloroethane-d5	1.568	69	71404	45.470	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.940%
11) 1,1-Dichloroethene-d2	2.108	63	132997	34.424	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.840%
21) 2-Butanone-d5	3.883	46	133578	115.982	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	115.980%
24) Chloroform-d	4.346	84	197999	52.407	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.820%
26) 1,2-Dichloroethane-d4	5.027	65	132121	52.232	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.460%
32) Benzene-d6	5.047	84	388069	55.781	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	111.560%
36) 1,2-Dichloropropane-d6	6.066	67	120887	62.002	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	124.000%#
41) Toluene-d8	7.313	98	367725	54.592	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.180%
43) trans-1,3-Dichloroprop...	7.619	79	60711	54.075	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	108.160%
47) 2-Hexanone-d5	8.085	63	89736	105.936	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.940%
56) 1,1,2,2-Tetrachloroeth...	10.214	84	149495	53.653	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	107.300%
66) 1,2-Dichlorobenzene-d4	11.622	152	154825	58.755	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	117.520%
Target Compounds						
					Qvalue	
13) Acetone	2.179	43	4696	4.130	ug/L	67
48) 2-Hexanone	8.143	43	13149	7.874	ug/L #	80

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011822\
Data File : VV024397.D
Acq On : 18 Jan 2022 16:35
Operator : SY/MD
Sample : N1132-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Time: Jan 19 01:06:24 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM123121WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jan 19 01:03:04 2022
Response via : Initial Calibration

