

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV021424\
 Data File : VV034178.D
 Acq On : 14 Feb 2024 13:51
 Operator : SY/MD
 Sample : P1455-02DL 100X
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AB1DL

Quant Time: Feb 15 01:30:02 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR012524WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Feb 15 01:26:50 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	73559	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	68660	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	35932	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	20654	3.625	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	72.600%
7) Chloroethane-d5	1.536	69	19234	3.855	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	77.000%
11) 1,1-Dichloroethene-d2	2.060	65	10296	3.748	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	75.000%
20) 2-Butanone-d5	3.815	46	41402	43.272	ug/L	0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	86.540%
24) Chloroform-d	4.252	84	45414	4.387	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.800%
26) 1,2-Dichloroethane-d4	4.947	65	23313	4.819	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.400%
32) Benzene-d6	4.963	84	84628	4.108	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.200%
36) 1,2-Dichloropropane-d6	5.989	67	23336	4.053	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	81.000%
41) Toluene-d8	7.246	98	77367	4.087	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	81.800%
43) trans-1,3-Dichloroprop...	7.558	79	9202	4.232	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.600%
46) 2-Hexanone-d5	8.027	63	31234	40.240	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	80.480%
56) 1,1,2,2-Tetrachloroeth...	10.156	84	15232	4.363	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.200%
66) 1,2-Dichlorobenzene-d4	11.561	152	28691	4.390	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	87.800%
Target Compounds						Qvalue
16) Methylene chloride	2.452	84	2760	0.560	ug/L	91
22) cis-1,2-Dichloroethene	3.825	96	3673	0.619	ug/L	91
34) Trichloroethene	5.831	95	63215	10.607	ug/L	99
47) Tetrachloroethene	7.912	164	1136	0.235	ug/L	84


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV021424\
Data File : VV034178.D
Acq On : 14 Feb 2024 13:51
Operator : SY/MD
Sample : P1455-02DL 100X
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AB1DL

Quant Time: Feb 15 01:30:02 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR012524WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Feb 15 01:26:50 2024
Response via : Initial Calibration









#16
Methylene chloride
Concen: 0.560 ug/L
RT: 2.452 min Scan# 41
Delta R.T. 0.003 min
Lab File: VV034178.D
Acq: 14 Feb 2024 13:51




Instrument :
MSVOA_V
ClientSampleId :
C0AB1DL


Tgt Ion: 84 Resp: 2760
Ion Ratio Lower Upper
84 100
86 67.1 44.7 83.1
49 147.8 93.7 173.9



#22
cis-1,2-Dichloroethene
Concen: 0.619 ug/L
RT: 3.825 min Scan# 866
Delta R.T. 0.010 min
Lab File: VV034178.D
Acq: 14 Feb 2024 13:51

Tgt Ion: 96 Resp: 3673
Ion Ratio Lower Upper
96 100
61 139.3 90.3 167.7
98 68.7 43.2 80.2









#34
Trichloroethene
Concen: 10.607 ug/L
RT: 5.831 min Scan# 1490
Delta R.T. -0.003 min
Lab File: VV034178.D
Acq: 14 Feb 2024 13:51

Instrument :
MSVOA_V
ClientSampleId :
C0AB1DL

Tgt Ion: 95 Resp: 63215
Ion Ratio Lower Upper
95 100
97 64.0 45.1 83.7
132 96.6 66.0 122.6
130 103.9 72.2 134.0



#47
Tetrachloroethene
Concen: 0.235 ug/L
RT: 7.912 min Scan# 2137
Delta R.T. 0.006 min
Lab File: VV034178.D
Acq: 14 Feb 2024 13:51

Tgt Ion:164 Resp: 1136
Ion Ratio Lower Upper
164 100
129 109.2 67.8 125.8
131 103.7 63.0 117.0
166 108.4 92.6 172.0

