

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW021622\
 Data File : VW024694.D
 Acq On : 16 Feb 2022 14:15
 Operator : SY/MD
 Sample : N1475-15DL 5X
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4M90DL

Quant Time: Feb 16 23:36:58 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR020922WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Feb 16 23:36:08 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.612	114	149152	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	148418	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.246	152	74519	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	37491	2.999	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	60.000%
7) Chloroethane-d5	1.568	69	40018	3.786	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	75.800%
11) 1,1-Dichloroethene-d2	2.101	63	61297	2.241	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	44.800%#
20) 2-Butanone-d5	3.889	46	88025	42.412	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	84.820%
24) Chloroform-d	4.342	84	82835	3.765	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	75.200%
26) 1,2-Dichloroethane-d4	5.027	65	40798	4.086	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	81.800%
32) Benzene-d6	5.043	84	171521	4.073	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.400%
36) 1,2-Dichloropropane-d6	6.066	67	52210	3.986	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	79.800%
41) Toluene-d8	7.313	98	147514	3.756	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	75.200%
43) trans-1,3-Dichloroprop...	7.622	79	17213	3.254	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	65.000%
46) 2-Hexanone-d5	8.088	63	74738	40.107	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	80.220%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	31076	3.985	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	79.600%
66) 1,2-Dichlorobenzene-d4	11.622	152	49231	4.098	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	82.000%
Target Compounds						
					Qvalue	
25) Chloroform	4.375	83	4785	0.174	ug/L	93
42) Toluene	7.381	91	453479	7.187	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV021622\
Data File : VV024694.D
Acq On : 16 Feb 2022 14:15
Operator : SY/MD
Sample : N1475-15DL 5X
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4M90DL

Quant Time: Feb 16 23:36:58 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR020922WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Feb 16 23:36:08 2022
Response via : Initial Calibration

