

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW021722\
 Data File : VW024734.D
 Acq On : 17 Feb 2022 19:59
 Operator : SY/MD
 Sample : N1510-15
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4M12

Manual Integrations
 APPROVED

Reviewed By : John Carlone 02/18/2022
 Supervised By : Semsettin Yesilyurt 02/18/2022

Quant Time: Feb 18 07:36:24 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR021722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Feb 18 07:32:51 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	167886	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	154198	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	67787	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	64920	4.559	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	91.200%	
7) Chloroethane-d5	1.568	69	53523	4.582	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	91.600%	
11) 1,1-Dichloroethene-d2	2.108	63	86161	3.302	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	66.000%	
20) 2-Butanone-d5	3.908	46	90187	44.340	ug/L	0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	88.680%	
24) Chloroform-d	4.349	84	100642	4.529	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	90.600%	
26) 1,2-Dichloroethane-d4	5.034	65	46105	4.655	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	93.200%	
32) Benzene-d6	5.050	84	208497	4.687	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	93.800%	
36) 1,2-Dichloropropane-d6	6.069	67	63303	4.836	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	96.800%	
41) Toluene-d8	7.316	98	182894	4.525	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	90.400%	
43) trans-1,3-Dichloroprop...	7.625	79	19043	4.367	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	87.400%	
46) 2-Hexanone-d5	8.091	63	77825	45.352	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	90.700%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	35497	4.499	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	90.000%	
66) 1,2-Dichlorobenzene-d4	11.622	152	56595	4.825	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	96.600%	
Target Compounds					Qvalue	
13) Acetone	2.198	43	14779m	10.303	ug/L	
14) Carbon disulfide	2.294	76	7608	0.207	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV021722\
Data File : VV024734.D
Acq On : 17 Feb 2022 19:59
Operator : SY/MD
Sample : N1510-15
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 24 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
F4M12

Quant Time: Feb 18 07:36:24 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR021722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Feb 18 07:32:51 2022
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By : John Carlone 02/18/2022
Supervised By : Semsettin Yesilyurt 02/18/2022





#13
Acetone
Concen: 10.303 ug/L m
RT: 2.198 min Scan# 30
Delta R.T. 0.013 min
Lab File: VV024734.D
Acq: 17 Feb 2022 19:59




Instrument :
MSVOA_V
ClientSampleId :
F4M12



Tgt Ion: 43 Resp: 14779
Ion Ratio Lower Upper
43 100
58 29.5 0.0 63.6

Manual Integrations
APPROVED

Reviewed By :John Carlone 02/18/2022
Supervised By :Semsettin Yesilyurt 02/18/2022



#14
Carbon disulfide
Concen: 0.207 ug/L
RT: 2.294 min Scan# 390
Delta R.T. -0.000 min
Lab File: VV024734.D
Acq: 17 Feb 2022 19:59

Tgt Ion: 76 Resp: 7608
Ion Ratio Lower Upper
76 100
78 10.1 7.3 10.9

