

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW022024\
 Data File : VW034300.D
 Acq On : 21 Feb 2024 03:55
 Operator : SY/MD
 Sample : P1511-09
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DCND8

Quant Time: Feb 21 04:52:07 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR012524WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Feb 21 04:37:10 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	73966	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	70192	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	33220	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	21287	3.716	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	74.400%
7) Chloroethane-d5	1.535	69	19696	3.925	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	78.600%
11) 1,1-Dichloroethene-d2	2.060	65	10644	3.853	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	77.000%
20) 2-Butanone-d5	3.812	46	38881	40.413	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	80.820%
24) Chloroform-d	4.252	84	46795	4.495	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.000%
26) 1,2-Dichloroethane-d4	4.947	65	22501	4.625	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.600%
32) Benzene-d6	4.960	84	87793	4.169	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.400%
36) 1,2-Dichloropropane-d6	5.989	67	24891	4.228	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	84.600%
41) Toluene-d8	7.246	98	79294	4.097	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.000%
43) trans-1,3-Dichloroprop...	7.561	79	6447	2.900	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	58.000%
46) 2-Hexanone-d5	8.030	63	30431	38.350	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	76.700%
56) 1,1,2,2-Tetrachloroeth...	10.152	84	14959	4.192	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	83.800%
66) 1,2-Dichlorobenzene-d4	11.561	152	26962	4.463	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	89.200%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV022024\
Data File : VV034300.D
Acq On : 21 Feb 2024 03:55
Operator : SY/MD
Sample : P1511-09
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DCND8

Quant Time: Feb 21 04:52:07 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR012524WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Feb 21 04:37:10 2024
Response via : Initial Calibration

