

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW022422\
 Data File : VW024817.D
 Acq On : 24 Feb 2022 12:43
 Operator : SY/MD
 Sample : N1623-22
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GBD56

Quant Time: Feb 25 03:29:16 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR021722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Feb 25 03:28:05 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	169434	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	153267	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	68834	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	74867	5.209	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	104.200%
7) Chloroethane-d5	1.568	69	60897	5.165	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	103.400%
11) 1,1-Dichloroethene-d2	2.108	63	98624	3.745	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	74.800%
20) 2-Butanone-d5	3.889	46	126340	61.547	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	123.100%
24) Chloroform-d	4.349	84	129863	5.791	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	115.800%
26) 1,2-Dichloroethane-d4	5.034	65	57408	5.743	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	114.800%
32) Benzene-d6	5.050	84	279667	6.325	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	126.400%#
36) 1,2-Dichloropropane-d6	6.069	67	82058	6.306	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	126.200%
41) Toluene-d8	7.317	98	245353	6.107	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	122.200%
43) trans-1,3-Dichloroprop...	7.622	79	25342	5.846	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	117.000%
46) 2-Hexanone-d5	8.088	63	94143	55.194	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	110.380%
56) 1,1,2,2-Tetrachloroeth...	10.214	84	47806	6.096	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	122.000%#
66) 1,2-Dichlorobenzene-d4	11.622	152	74100	6.222	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	124.400%#
Target Compounds						
63) 1,2,4-Trimethylbenzene	10.918	105	15011	0.319	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV022422\
Data File : VV024817.D
Acq On : 24 Feb 2022 12:43
Operator : SY/MD
Sample : N1623-22
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GBD56

Quant Time: Feb 25 03:29:16 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR021722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Feb 25 03:28:05 2022
Response via : Initial Calibration

