

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW022724\
 Data File : VW034452.D
 Acq On : 27 Feb 2024 16:22
 Operator : SY/MD
 Sample : P1566-18
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 JWAD6

Quant Time: Feb 28 03:57:49 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR022624WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Feb 28 03:52:36 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	133618	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	126161	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	66206	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	33590	4.331	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	86.600%
7) Chloroethane-d5	1.532	69	32102	4.686	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.800%
11) 1,1-Dichloroethene-d2	2.060	65	16352	4.529	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	90.600%
20) 2-Butanone-d5	3.802	46	120471	59.405	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	118.820%
24) Chloroform-d	4.252	84	80272	5.154	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.000%
26) 1,2-Dichloroethane-d4	4.947	65	44690	5.639	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	112.800%
32) Benzene-d6	4.963	84	141587	4.989	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.800%
36) 1,2-Dichloropropane-d6	5.992	67	44893	5.298	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	106.000%
41) Toluene-d8	7.246	98	122608	4.817	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.400%
43) trans-1,3-Dichloroprop...	7.564	79	14805	4.690	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.800%
46) 2-Hexanone-d5	8.027	63	105399	59.044	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	118.080%
56) 1,1,2,2-Tetrachloroeth...	10.156	84	38005	5.666	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	113.400%
66) 1,2-Dichlorobenzene-d4	11.561	152	51675	5.137	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.800%
Target Compounds						
					Qvalue	
47) Tetrachloroethene	7.905	164	46143	6.451	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV022724\
Data File : VV034452.D
Acq On : 27 Feb 2024 16:22
Operator : SY/MD
Sample : P1566-18
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
JWAD6

Quant Time: Feb 28 03:57:49 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR022624WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Feb 28 03:52:36 2024
Response via : Initial Calibration

