

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034856.D
 Acq On : 27 Mar 2024 11:42
 Operator : SY/MD
 Sample : P1851-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M

Title : VOC Analysis

Signal : TIC: VV034856.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	88	rVB	196679	205483	13.74%	2.143%
2	1.532	146	153	167	rVB	183675	217621	14.55%	2.270%
3	2.060	308	317	332	rBV	340141	496330	33.19%	5.177%
4	2.417	425	428	432	rBV5	649	497	0.03%	0.005%
5	2.449	434	438	442	rBV5	1271	1255	0.08%	0.013%
6	2.616	486	490	494	rBV4	539	518	0.03%	0.005%
7	2.687	507	512	513	rBV3	646	469	0.03%	0.005%
8	2.748	529	531	534	rVB	413	215	0.01%	0.002%
9	2.770	534	538	540	rBV	575	458	0.03%	0.005%
10	2.809	547	550	557	rVB2	581	415	0.03%	0.004%
11	2.844	557	561	565	rBV3	677	493	0.03%	0.005%
12	2.899	576	578	580	rBV	285	123	0.01%	0.001%
13	2.963	596	598	599	rBV	310	169	0.01%	0.002%
14	3.031	617	619	623	rVB3	503	306	0.02%	0.003%
15	3.185	665	667	668	rBV2	415	189	0.01%	0.002%
16	3.236	681	683	684	rBV	298	146	0.01%	0.002%
17	3.339	713	715	718	rVB	332	169	0.01%	0.002%
18	3.458	751	752	756	rVB	363	117	0.01%	0.001%
19	3.497	761	764	767	rBV2	269	206	0.01%	0.002%
20	3.580	787	790	792	rBV	162	129	0.01%	0.001%
21	3.735	834	838	844	rBV2	161	181	0.01%	0.002%
22	3.786	844	854	895	rBV	112310	337654	22.58%	3.522%
23	4.246	982	997	1027	rBV	239889	614654	41.11%	6.412%
24	4.606	1107	1109	1111	rBV	282	116	0.01%	0.001%
25	4.616	1111	1112	1114	rVB	527	179	0.01%	0.002%
26	4.654	1121	1124	1126	rBV	464	283	0.02%	0.003%
27	4.693	1134	1136	1139	rBV2	297	179	0.01%	0.002%
28	4.870	1189	1191	1193	rVB	340	149	0.01%	0.002%
29	4.953	1201	1217	1261	rBV2	554042	1495287	100.00%	15.598%
30	5.436	1363	1367	1369	rBV2	439	256	0.02%	0.003%
31	5.458	1372	1374	1377	rBV2	243	137	0.01%	0.001%
32	5.535	1387	1398	1425	rBV	164082	353267	23.63%	3.685%
33	5.831	1481	1490	1504	rBV4	8974	21098	1.41%	0.220%
34	5.986	1525	1538	1569	rBV	337828	703656	47.06%	7.340%
35	6.368	1653	1657	1659	rBV4	526	395	0.03%	0.004%
36	6.490	1690	1695	1698	rBV4	597	538	0.04%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034856.D
 Acq On : 27 Mar 2024 11:42
 Operator : SY/MD
 Sample : P1851-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

37	6.641	1739	1742	1744	rBV3	473	332	0.02%	0.003%
38	6.706	1759	1762	1764	rBV2	441	233	0.02%	0.002%
39	6.760	1777	1779	1782	rVB3	358	218	0.01%	0.002%
40	6.793	1785	1789	1790	rBV	358	240	0.02%	0.003%
41	6.822	1796	1798	1802	rVB3	306	150	0.01%	0.002%
42	6.857	1807	1809	1812	rBV	453	246	0.02%	0.003%
43	6.912	1815	1826	1853	rBV	170452	330215	22.08%	3.445%
44	7.243	1918	1929	1956	rBV	619323	1107959	74.10%	11.557%
45	7.551	2016	2025	2052	rBV	119651	220193	14.73%	2.297%
46	7.776	2092	2095	2099	rVB4	768	569	0.04%	0.006%
47	7.831	2110	2112	2114	rBV2	431	175	0.01%	0.002%
48	7.902	2132	2134	2137	rBV3	394	163	0.01%	0.002%
49	7.944	2144	2147	2152	rVB3	479	352	0.02%	0.004%
50	8.024	2163	2172	2215	rBV2	330433	707700	47.33%	7.382%
51	8.516	2323	2325	2328	rBV2	433	249	0.02%	0.003%
52	8.548	2332	2335	2343	rVB4	921	666	0.04%	0.007%
53	8.612	2353	2355	2359	rBV2	363	238	0.02%	0.002%
54	8.786	2398	2409	2437	rBV	265716	454683	30.41%	4.743%
55	9.014	2478	2480	2482	rBV	267	125	0.01%	0.001%
56	9.069	2494	2497	2500	rBV2	387	323	0.02%	0.003%
57	9.085	2500	2502	2507	rVV3	570	443	0.03%	0.005%
58	9.108	2507	2509	2513	rVV3	693	487	0.03%	0.005%
59	9.127	2513	2515	2519	rVB	383	166	0.01%	0.002%
60	9.175	2526	2530	2534	rVB4	453	329	0.02%	0.003%
61	9.194	2534	2536	2541	rBV3	450	366	0.02%	0.004%
62	9.217	2541	2543	2546	rVV	431	234	0.02%	0.002%
63	9.291	2564	2566	2569	rBV	259	168	0.01%	0.002%
64	9.358	2584	2587	2590	rBV2	634	409	0.03%	0.004%
65	9.426	2604	2608	2612	rBV4	608	542	0.04%	0.006%
66	9.490	2626	2628	2630	rBV	313	172	0.01%	0.002%
67	9.519	2635	2637	2638	rBV	401	143	0.01%	0.001%
68	9.603	2660	2663	2667	rVB2	287	190	0.01%	0.002%
69	9.628	2669	2671	2676	rVV2	322	142	0.01%	0.001%
70	9.670	2682	2684	2688	rVB2	260	123	0.01%	0.001%
71	9.738	2702	2705	2712	rVB2	556	505	0.03%	0.005%
72	9.773	2713	2716	2717	rBV	217	120	0.01%	0.001%
73	9.844	2732	2738	2740	rBV2	587	551	0.04%	0.006%
74	9.873	2744	2747	2749	rBV2	650	386	0.03%	0.004%
75	9.908	2755	2758	2763	rBV2	358	253	0.02%	0.003%
76	9.992	2781	2784	2786	rVB	453	197	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034856.D
 Acq On : 27 Mar 2024 11:42
 Operator : SY/MD
 Sample : P1851-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis




77	10.024	2792	2794	2796	rBV2	277	190	0.01%	0.002%
78	10.098	2810	2817	2818	rBV	327	296	0.02%	0.003%
79	10.149	2822	2833	2861	rVV	503247	800059	53.51%	8.346%
80	10.355	2895	2897	2899	rBV2	293	142	0.01%	0.001%
81	10.378	2902	2904	2905	rBV2	338	137	0.01%	0.001%
82	10.686	2997	3000	3002	rBV	424	278	0.02%	0.003%
83	10.773	3024	3027	3029	rBV	570	279	0.02%	0.003%
84	10.828	3040	3044	3047	rBV2	390	336	0.02%	0.004%
85	11.040	3107	3110	3115	rVB2	367	283	0.02%	0.003%
86	11.124	3132	3136	3137	rBV2	910	560	0.04%	0.006%
87	11.185	3145	3155	3179	rBV	265259	428602	28.66%	4.471%
88	11.390	3217	3219	3224	rVB3	421	292	0.02%	0.003%
89	11.558	3259	3271	3296	rBV	664133	1060314	70.91%	11.060%
90	11.841	3358	3359	3362	rBV	324	195	0.01%	0.002%
91	11.953	3391	3394	3398	rVB2	360	263	0.02%	0.003%
92	12.262	3488	3490	3496	rVB	317	211	0.01%	0.002%
93	12.291	3496	3499	3500	rBV	251	137	0.01%	0.001%
94	12.587	3588	3591	3594	rBV4	905	654	0.04%	0.007%
95	13.027	3725	3728	3732	rBV2	440	346	0.02%	0.004%
96	13.066	3738	3740	3742	rBV	335	157	0.01%	0.002%
97	13.120	3755	3757	3761	rBV	368	267	0.02%	0.003%
98	13.207	3777	3784	3792	rBV6	2409	3749	0.25%	0.039%
99	13.451	3855	3860	3866	rVB2	3505	4126	0.28%	0.043%
100	14.066	4049	4051	4055	rBV3	650	379	0.03%	0.004%

Sum of corrected areas: 9586544

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034856.D
Acq On : 27 Mar 2024 11:42
Operator : SY/MD
Sample : P1851-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034856.D
Acq On : 27 Mar 2024 11:42
Operator : SY/MD
Sample : P1851-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034856.D
Acq On : 27 Mar 2024 11:42
Operator : SY/MD
Sample : P1851-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
