

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034857.D
 Acq On : 27 Mar 2024 12:06
 Operator : SY/MD
 Sample : P1851-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M

Title : VOC Analysis

Signal : TIC: VV034857.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.281	68	75	92	rVB	175914	185406	14.32%	1.808%
2	1.532	147	153	168	rVB	170943	199928	15.44%	1.950%
3	2.060	308	317	332	rBV	295711	435108	33.60%	4.243%
4	2.667	504	506	509	rVB2	422	235	0.02%	0.002%
5	2.703	512	517	520	rBV4	771	647	0.05%	0.006%
6	2.748	528	531	534	rBV3	422	257	0.02%	0.003%
7	2.825	552	555	556	rBV	248	142	0.01%	0.001%
8	2.854	561	564	570	rVV3	546	461	0.04%	0.004%
9	2.876	570	571	574	rVV	443	163	0.01%	0.002%
10	2.912	578	582	587	rVB2	238	189	0.01%	0.002%
11	3.037	619	621	624	rVB3	352	166	0.01%	0.002%
12	3.117	644	646	649	rVB3	569	294	0.02%	0.003%
13	3.201	670	672	676	rBV	411	232	0.02%	0.002%
14	3.230	679	681	684	rVB2	518	234	0.02%	0.002%
15	3.268	688	693	696	rVB3	233	200	0.02%	0.002%
16	3.285	696	698	700	rBV	291	127	0.01%	0.001%
17	3.394	729	732	735	rBV2	473	258	0.02%	0.003%
18	3.484	757	760	766	rBV2	261	248	0.02%	0.002%
19	3.535	774	776	779	rVB	271	132	0.01%	0.001%
20	3.568	784	786	788	rBV	320	132	0.01%	0.001%
21	3.641	807	809	812	rVB4	415	220	0.02%	0.002%
22	3.703	825	828	831	rBV2	250	163	0.01%	0.002%
23	3.728	831	836	838	rBV	221	187	0.01%	0.002%
24	3.748	838	842	846	rBV2	525	344	0.03%	0.003%
25	3.789	846	855	892	rBV	91876	268679	20.75%	2.620%
26	4.249	983	998	1026	rBV	205268	530994	41.01%	5.178%
27	4.609	1108	1110	1114	rVB2	447	220	0.02%	0.002%
28	4.696	1136	1137	1140	rVB	538	155	0.01%	0.002%
29	4.831	1177	1179	1182	rBV2	263	146	0.01%	0.001%
30	4.847	1182	1184	1185	rVV2	271	125	0.01%	0.001%
31	4.854	1185	1186	1189	rVB2	534	201	0.02%	0.002%
32	4.892	1194	1198	1202	rVB2	228	207	0.02%	0.002%
33	4.957	1202	1218	1254	rBV2	479511	1294929	100.00%	12.628%
34	5.426	1359	1364	1366	rBV3	434	409	0.03%	0.004%
35	5.532	1386	1397	1431	rBV	417046	872775	67.40%	8.511%
36	5.834	1482	1491	1509	rBV5	8218	18683	1.44%	0.182%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034857.D
 Acq On : 27 Mar 2024 12:06
 Operator : SY/MD
 Sample : P1851-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

37	5.937	1519	1523	1526	rBV2	514	430	0.03%	0.004%
38	5.989	1526	1539	1565	rBV	290430	604715	46.70%	5.897%
39	6.391	1662	1664	1666	rBV	388	196	0.02%	0.002%
40	6.445	1679	1681	1684	rBV3	266	142	0.01%	0.001%
41	6.545	1708	1712	1716	rVV4	361	316	0.02%	0.003%
42	6.609	1728	1732	1734	rBV2	267	165	0.01%	0.002%
43	6.638	1738	1741	1742	rBV2	304	187	0.01%	0.002%
44	6.677	1750	1753	1754	rBV	273	137	0.01%	0.001%
45	6.911	1814	1826	1856	rBV	145752	286938	22.16%	2.798%
46	7.243	1918	1929	1964	rBV	531695	960399	74.17%	9.366%
47	7.554	2016	2026	2056	rBV	99993	191350	14.78%	1.866%
48	7.863	2117	2122	2124	rBV3	727	525	0.04%	0.005%
49	7.937	2143	2145	2148	rBV3	380	234	0.02%	0.002%
50	8.027	2163	2173	2219	rBV2	281137	619228	47.82%	6.039%
51	8.445	2300	2303	2308	rBV3	772	627	0.05%	0.006%
52	8.590	2347	2348	2355	rBV2	653	538	0.04%	0.005%
53	8.628	2358	2360	2365	rVV2	460	288	0.02%	0.003%
54	8.735	2391	2393	2397	rVB3	671	337	0.03%	0.003%
55	8.783	2397	2408	2433	rBV	663708	1091789	84.31%	10.647%
56	9.066	2493	2496	2500	rVB	452	338	0.03%	0.003%
57	9.085	2500	2502	2503	rBV	412	189	0.01%	0.002%
58	9.185	2530	2533	2536	rBV4	444	254	0.02%	0.002%
59	9.226	2542	2546	2547	rBV2	383	306	0.02%	0.003%
60	9.281	2560	2563	2565	rBV2	512	286	0.02%	0.003%
61	9.297	2566	2568	2570	rVB	488	190	0.01%	0.002%
62	9.374	2589	2592	2596	rBV2	282	196	0.02%	0.002%
63	9.394	2596	2598	2603	rVV3	485	367	0.03%	0.004%
64	9.426	2606	2608	2610	rVB2	305	128	0.01%	0.001%
65	9.439	2610	2612	2614	rBV	345	188	0.01%	0.002%
66	9.477	2620	2624	2625	rBV	373	183	0.01%	0.002%
67	9.548	2644	2646	2650	rVB2	401	170	0.01%	0.002%
68	9.638	2670	2674	2678	rBV2	299	238	0.02%	0.002%
69	9.664	2678	2682	2683	rBV	274	169	0.01%	0.002%
70	9.876	2744	2748	2754	rBV4	510	516	0.04%	0.005%
71	9.902	2754	2756	2758	rBV	271	164	0.01%	0.002%
72	9.963	2769	2775	2778	rBV2	376	354	0.03%	0.003%
73	10.017	2790	2792	2795	rVB	333	164	0.01%	0.002%
74	10.149	2822	2833	2858	rBV	440692	701764	54.19%	6.843%
75	10.400	2909	2911	2914	rVB	379	218	0.02%	0.002%
76	10.419	2914	2917	2918	rBV	300	183	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034857.D
 Acq On : 27 Mar 2024 12:06
 Operator : SY/MD
 Sample : P1851-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis




77	10.606	2972	2975	2978	rVV2	300	210	0.02%	0.002%
78	10.773	3024	3027	3029	rBV2	391	207	0.02%	0.002%
79	10.860	3051	3054	3055	rBV2	404	229	0.02%	0.002%
80	10.943	3077	3080	3083	rBV	218	189	0.01%	0.002%
81	10.979	3088	3091	3092	rBV	288	129	0.01%	0.001%
82	11.072	3118	3120	3124	rVV2	295	176	0.01%	0.002%
83	11.130	3133	3138	3139	rBV2	1184	969	0.07%	0.009%
84	11.185	3144	3155	3183	rVV	662678	1026056	79.24%	10.006%
85	11.516	3247	3258	3259	rBV6	3810	5831	0.45%	0.057%
86	11.558	3261	3271	3292	rVB	592877	935157	72.22%	9.119%
87	11.914	3380	3382	3386	rBV2	426	316	0.02%	0.003%
88	11.950	3392	3393	3397	rVB2	718	376	0.03%	0.004%
89	12.149	3453	3455	3457	rBV	313	142	0.01%	0.001%
90	12.223	3474	3478	3480	rBV	455	255	0.02%	0.002%
91	12.458	3547	3551	3554	rBV	412	288	0.02%	0.003%
92	12.548	3577	3579	3583	rVB3	446	244	0.02%	0.002%
93	12.586	3586	3591	3595	rBV6	1092	1107	0.09%	0.011%
94	12.869	3673	3679	3683	rVB4	666	693	0.05%	0.007%
95	12.898	3684	3688	3689	rBV	527	333	0.03%	0.003%
96	13.168	3770	3772	3776	rBV	380	233	0.02%	0.002%
97	13.210	3779	3785	3792	rBV3	1833	2571	0.20%	0.025%
98	13.355	3828	3830	3836	rBV2	338	341	0.03%	0.003%
99	13.426	3850	3852	3853	rBV	437	184	0.01%	0.002%
100	13.873	3987	3991	3994	rBV	315	221	0.02%	0.002%

Sum of corrected areas: 10254559

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034857.D
Acq On : 27 Mar 2024 12:06
Operator : SY/MD
Sample : P1851-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034857.D
Acq On : 27 Mar 2024 12:06
Operator : SY/MD
Sample : P1851-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034857.D
Acq On : 27 Mar 2024 12:06
Operator : SY/MD
Sample : P1851-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
