

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034858.D
 Acq On : 27 Mar 2024 12:30
 Operator : SY/MD
 Sample : P1851-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M

Title : VOC Analysis

Signal : TIC: VV034858.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.281	68	75	92	rVB2	220166	238536	18.91%	2.369%
2	1.532	146	153	165	rVB	166194	193328	15.33%	1.920%
3	2.060	308	317	331	rVB	286038	413490	32.78%	4.107%
4	2.526	458	462	466	rBV3	598	578	0.05%	0.006%
5	2.555	468	471	474	rBV2	838	740	0.06%	0.007%
6	2.706	503	518	537	rBV2	30324	65280	5.18%	0.648%
7	2.860	561	566	568	rBV2	455	353	0.03%	0.004%
8	2.921	582	585	588	rVB3	484	331	0.03%	0.003%
9	2.937	588	590	593	rVB2	314	150	0.01%	0.001%
10	3.037	618	621	626	rVB3	322	198	0.02%	0.002%
11	3.105	638	642	644	rBV3	303	252	0.02%	0.003%
12	3.198	666	671	673	rBV2	460	374	0.03%	0.004%
13	3.281	694	697	701	rBV	223	250	0.02%	0.002%
14	3.352	713	719	722	rBV3	459	282	0.02%	0.003%
15	3.445	745	748	751	rBV2	223	162	0.01%	0.002%
16	3.722	830	834	837	rBV2	222	157	0.01%	0.002%
17	3.751	840	843	846	rBV2	259	243	0.02%	0.002%
18	3.789	846	855	893	rBV	95245	301740	23.92%	2.997%
19	4.246	983	997	1028	rBV	204077	525293	41.65%	5.217%
20	4.754	1152	1155	1156	rBV	313	172	0.01%	0.002%
21	4.780	1160	1163	1164	rBV	380	223	0.02%	0.002%
22	4.957	1201	1218	1255	rBV2	466580	1261352	100.00%	12.528%
23	5.445	1368	1370	1371	rBV	465	225	0.02%	0.002%
24	5.490	1379	1384	1386	rVB3	626	511	0.04%	0.005%
25	5.532	1386	1397	1426	rBV	389242	810810	64.28%	8.053%
26	5.841	1480	1493	1503	rBV6	5536	13119	1.04%	0.130%
27	5.908	1511	1514	1517	rVB3	513	305	0.02%	0.003%
28	5.989	1525	1539	1569	rBV	282984	598033	47.41%	5.940%
29	6.211	1607	1608	1612	rVB2	477	252	0.02%	0.003%
30	6.275	1626	1628	1630	rVB2	431	177	0.01%	0.002%
31	6.317	1639	1641	1644	rVB3	375	217	0.02%	0.002%
32	6.384	1660	1662	1664	rBV2	616	303	0.02%	0.003%
33	6.506	1698	1700	1703	rVV2	542	294	0.02%	0.003%
34	6.522	1703	1705	1708	rVB2	438	201	0.02%	0.002%
35	6.567	1716	1719	1722	rVB3	375	197	0.02%	0.002%
36	6.593	1724	1727	1730	rVB2	459	268	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034858.D
 Acq On : 27 Mar 2024 12:30
 Operator : SY/MD
 Sample : P1851-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

37	6.619	1733	1735	1736	rBV	443	172	0.01%	0.002%
38	6.683	1753	1755	1758	rVB	369	160	0.01%	0.002%
39	6.728	1767	1769	1773	rVB3	345	163	0.01%	0.002%
40	6.767	1776	1781	1784	rBV3	461	476	0.04%	0.005%
41	6.911	1816	1826	1855	rBV	140440	278252	22.06%	2.764%
42	7.149	1898	1900	1901	rBV	542	213	0.02%	0.002%
43	7.243	1918	1929	1951	rBV	525751	924805	73.32%	9.186%
44	7.555	2016	2026	2051	rBV	97871	184807	14.65%	1.836%
45	7.847	2114	2117	2120	rBV3	356	257	0.02%	0.003%
46	7.873	2121	2125	2126	rBV	978	557	0.04%	0.006%
47	7.979	2155	2158	2162	rBV2	532	399	0.03%	0.004%
48	8.024	2162	2172	2218	rBV2	282677	630847	50.01%	6.266%
49	8.413	2291	2293	2296	rBV4	653	443	0.04%	0.004%
50	8.522	2325	2327	2328	rBV	443	160	0.01%	0.002%
51	8.722	2387	2389	2392	rVB3	373	206	0.02%	0.002%
52	8.744	2392	2396	2397	rBV2	375	247	0.02%	0.002%
53	8.783	2397	2408	2435	rBV	617512	1014123	80.40%	10.073%
54	9.069	2491	2497	2498	rBV4	700	724	0.06%	0.007%
55	9.156	2521	2524	2525	rBV	333	188	0.01%	0.002%
56	9.188	2531	2534	2538	rBV4	937	784	0.06%	0.008%
57	9.259	2553	2556	2560	rBV3	355	260	0.02%	0.003%
58	9.288	2563	2565	2569	rVV3	398	252	0.02%	0.003%
59	9.535	2638	2642	2645	rBV2	484	375	0.03%	0.004%
60	9.567	2649	2652	2653	rBV	302	154	0.01%	0.002%
61	9.686	2688	2689	2694	rVB	311	202	0.02%	0.002%
62	9.735	2697	2704	2705	rBV2	452	421	0.03%	0.004%
63	9.763	2710	2713	2717	rVB2	382	274	0.02%	0.003%
64	9.927	2759	2764	2765	rBV	272	169	0.01%	0.002%
65	9.937	2765	2767	2770	rVV2	451	253	0.02%	0.003%
66	10.059	2801	2805	2807	rBV	261	159	0.01%	0.002%
67	10.153	2822	2834	2864	rBV	438025	692951	54.94%	6.883%
68	10.410	2911	2914	2916	rBV	314	202	0.02%	0.002%
69	10.632	2978	2983	2985	rBV2	325	260	0.02%	0.003%
70	10.763	3020	3024	3027	rBV	262	204	0.02%	0.002%
71	10.863	3052	3055	3059	rBV3	848	666	0.05%	0.007%
72	10.940	3075	3079	3081	rBV2	330	265	0.02%	0.003%
73	11.130	3133	3138	3141	rBV2	1266	1250	0.10%	0.012%
74	11.185	3144	3155	3185	rVV	612699	964010	76.43%	9.575%
75	11.413	3222	3226	3227	rBV2	504	342	0.03%	0.003%
76	11.442	3233	3235	3237	rBV	257	193	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034858.D
 Acq On : 27 Mar 2024 12:30
 Operator : SY/MD
 Sample : P1851-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis




77	11.458	3238	3240	3243	rVB2	590	320	0.03%	0.003%
78	11.500	3243	3253	3260	rBV4	8956	16625	1.32%	0.165%
79	11.558	3261	3271	3297	rVB	574541	913718	72.44%	9.075%
80	11.940	3388	3390	3391	rBV	385	164	0.01%	0.002%
81	12.133	3448	3450	3454	rVB2	545	417	0.03%	0.004%
82	12.178	3460	3464	3466	rBV3	344	295	0.02%	0.003%
83	12.265	3485	3491	3493	rBV2	323	298	0.02%	0.003%
84	12.287	3496	3498	3499	rBV2	437	177	0.01%	0.002%
85	12.377	3524	3526	3534	rVB3	352	369	0.03%	0.004%
86	12.509	3564	3567	3571	rBV2	349	283	0.02%	0.003%
87	12.590	3586	3592	3599	rBV4	1301	1890	0.15%	0.019%
88	12.625	3599	3603	3606	rBV2	278	229	0.02%	0.002%
89	12.702	3625	3627	3630	rBV2	332	197	0.02%	0.002%
90	12.754	3641	3643	3647	rBV2	419	401	0.03%	0.004%
91	12.905	3688	3690	3693	rBV	386	180	0.01%	0.002%
92	12.976	3711	3712	3714	rVB	689	156	0.01%	0.002%
93	13.098	3748	3750	3754	rBV2	501	397	0.03%	0.004%
94	13.197	3778	3781	3782	rBV2	869	547	0.04%	0.005%
95	13.265	3798	3802	3805	rBV3	548	493	0.04%	0.005%
96	13.509	3876	3878	3886	rVB3	841	588	0.05%	0.006%
97	13.545	3887	3889	3892	rVB3	472	276	0.02%	0.003%
98	13.876	3990	3992	3995	rBV2	452	263	0.02%	0.003%
99	13.914	4002	4004	4007	rBV3	407	241	0.02%	0.002%
100	14.284	4117	4119	4123	rBV3	560	328	0.03%	0.003%

Sum of corrected areas: 10068093

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034858.D
Acq On : 27 Mar 2024 12:30
Operator : SY/MD
Sample : P1851-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034858.D
Acq On : 27 Mar 2024 12:30
Operator : SY/MD
Sample : P1851-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034858.D
Acq On : 27 Mar 2024 12:30
Operator : SY/MD
Sample : P1851-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
