

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034862.D
 Acq On : 27 Mar 2024 14:05
 Operator : SY/MD
 Sample : P1856-01 10X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M

Title : VOC Analysis

Signal : TIC: VV034862.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	95	rVB	153116	176307	13.38%	1.677%
2	1.529	146	152	166	rBV	130948	153102	11.62%	1.457%
3	2.053	306	315	330	rBV	295489	428115	32.49%	4.073%
4	2.558	461	472	482	rBV3	3783	8237	0.63%	0.078%
5	2.815	550	552	553	rBV	275	119	0.01%	0.001%
6	2.847	558	562	564	rBV	273	163	0.01%	0.002%
7	2.976	599	602	604	rVB	560	277	0.02%	0.003%
8	3.024	615	617	621	rVB2	287	187	0.01%	0.002%
9	3.066	625	630	633	rBV3	339	354	0.03%	0.003%
10	3.108	642	643	644	rBV3	347	100	0.01%	0.001%
11	3.326	706	711	714	rBV4	377	420	0.03%	0.004%
12	3.439	738	746	747	rBV2	373	301	0.02%	0.003%
13	3.452	747	750	756	rVB3	381	319	0.02%	0.003%
14	3.568	781	786	790	rVB3	337	269	0.02%	0.003%
15	3.606	797	798	801	rVB2	327	126	0.01%	0.001%
16	3.629	801	805	806	rBV	254	172	0.01%	0.002%
17	3.722	832	834	840	rVB	280	263	0.02%	0.003%
18	3.754	840	844	847	rBV2	458	369	0.03%	0.004%
19	3.799	849	858	902	rBV	87617	313099	23.76%	2.979%
20	4.246	983	997	1027	rBV2	213005	541308	41.08%	5.150%
21	4.709	1139	1141	1145	rBV3	497	387	0.03%	0.004%
22	4.744	1149	1152	1158	rVB3	390	291	0.02%	0.003%
23	4.777	1159	1162	1164	rBV2	309	185	0.01%	0.002%
24	4.818	1171	1175	1177	rBV2	506	292	0.02%	0.003%
25	4.838	1177	1181	1186	rVB	524	441	0.03%	0.004%
26	4.867	1186	1190	1191	rBV2	306	229	0.02%	0.002%
27	4.953	1201	1217	1251	rBV2	496798	1317675	100.00%	12.536%
28	5.185	1287	1289	1293	rBV4	747	574	0.04%	0.005%
29	5.532	1386	1397	1423	rBV	420647	871403	66.13%	8.290%
30	5.834	1482	1491	1503	rBV4	8535	18513	1.40%	0.176%
31	5.985	1526	1538	1564	rBV	300977	621156	47.14%	5.910%
32	6.455	1680	1684	1687	rBV3	732	675	0.05%	0.006%
33	6.580	1719	1723	1724	rBV3	764	458	0.03%	0.004%
34	6.757	1776	1778	1779	rBV	373	104	0.01%	0.001%
35	6.844	1803	1805	1807	rBV	244	136	0.01%	0.001%
36	6.911	1816	1826	1863	rBV	156261	306388	23.25%	2.915%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034862.D
 Acq On : 27 Mar 2024 14:05
 Operator : SY/MD
 Sample : P1856-01 10X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M

Title : VOC Analysis

37	7.130	1885	1894	1904	rBV2	7168	14094	1.07%	0.134%
38	7.243	1918	1929	1959	rBV	544689	961969	73.01%	9.152%
39	7.555	2016	2026	2050	rBV	108022	201457	15.29%	1.917%
40	7.706	2071	2073	2075	rBV2	467	279	0.02%	0.003%
41	7.821	2107	2109	2111	rBV	350	165	0.01%	0.002%
42	7.866	2114	2123	2133	rBV2	12221	21780	1.65%	0.207%
43	7.982	2154	2159	2161	rBV3	1890	1961	0.15%	0.019%
44	8.034	2165	2175	2218	rVV	290781	699468	53.08%	6.655%
45	8.628	2350	2360	2379	rBV2	12306	25747	1.95%	0.245%
46	8.783	2397	2408	2434	rBV	659744	1084829	82.33%	10.321%
47	9.188	2532	2534	2535	rVB2	333	101	0.01%	0.001%
48	9.239	2548	2550	2553	rBV3	462	231	0.02%	0.002%
49	9.310	2569	2572	2575	rBV2	338	199	0.02%	0.002%
50	9.336	2578	2580	2583	rBV2	657	269	0.02%	0.003%
51	9.468	2618	2621	2625	rBV2	604	422	0.03%	0.004%
52	9.493	2626	2629	2635	rVB3	880	798	0.06%	0.008%
53	9.628	2667	2671	2676	rBV3	363	292	0.02%	0.003%
54	9.654	2676	2679	2681	rBV	209	147	0.01%	0.001%
55	9.683	2686	2688	2691	rBV2	410	236	0.02%	0.002%
56	9.728	2699	2702	2703	rBV2	294	196	0.01%	0.002%
57	9.786	2718	2720	2723	rBV	362	255	0.02%	0.002%
58	9.924	2760	2763	2767	rBV3	360	302	0.02%	0.003%
59	9.956	2770	2773	2775	rBV	396	189	0.01%	0.002%
60	9.972	2775	2778	2780	rBV	305	157	0.01%	0.001%
61	9.985	2780	2782	2789	rBV3	382	323	0.02%	0.003%
62	10.014	2789	2791	2793	rBV	327	130	0.01%	0.001%
63	10.095	2812	2816	2819	rBV3	354	348	0.03%	0.003%
64	10.153	2822	2834	2862	rVV	453431	734366	55.73%	6.987%
65	10.310	2881	2883	2886	rVB3	618	312	0.02%	0.003%
66	10.423	2913	2918	2919	rBV	420	365	0.03%	0.003%
67	10.461	2926	2930	2933	rVB2	479	321	0.02%	0.003%
68	10.480	2933	2936	2937	rBV	541	290	0.02%	0.003%
69	10.522	2947	2949	2953	rBV2	344	293	0.02%	0.003%
70	10.654	2989	2990	2993	rVB2	413	149	0.01%	0.001%
71	10.667	2993	2994	2997	rVB	236	109	0.01%	0.001%
72	10.686	2997	3000	3001	rBV2	313	185	0.01%	0.002%
73	10.760	3022	3023	3026	rVB	217	100	0.01%	0.001%
74	10.779	3026	3029	3030	rBV	423	221	0.02%	0.002%
75	10.825	3040	3043	3045	rBV2	207	163	0.01%	0.002%
76	10.866	3050	3056	3059	rBV3	769	695	0.05%	0.007%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034862.D
 Acq On : 27 Mar 2024 14:05
 Operator : SY/MD
 Sample : P1856-01 10X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis




77	10.921	3070	3073	3077	rBV2	288	212	0.02%	0.002%
78	10.940	3077	3079	3081	rBV	417	171	0.01%	0.002%
79	11.091	3123	3126	3129	rVB	399	157	0.01%	0.001%
80	11.107	3129	3131	3133	rBV	484	257	0.02%	0.002%
81	11.185	3144	3155	3178	rBV	669566	1046734	79.44%	9.958%
82	11.474	3243	3245	3246	rBV	314	125	0.01%	0.001%
83	11.493	3250	3251	3255	rVB2	266	99	0.01%	0.001%
84	11.519	3257	3259	3260	rBV2	426	196	0.01%	0.002%
85	11.561	3260	3272	3293	rBV	593801	942034	71.49%	8.962%
86	11.886	3371	3373	3377	rVB	384	203	0.02%	0.002%
87	11.908	3377	3380	3383	rVB2	649	412	0.03%	0.004%
88	11.927	3383	3386	3389	rBV2	523	301	0.02%	0.003%
89	12.104	3439	3441	3446	rVB3	398	261	0.02%	0.002%
90	12.130	3446	3449	3451	rBV2	423	241	0.02%	0.002%
91	12.554	3579	3581	3582	rBV2	318	103	0.01%	0.001%
92	12.927	3694	3697	3699	rBV	390	254	0.02%	0.002%
93	13.156	3765	3768	3769	rBV2	318	190	0.01%	0.002%
94	13.165	3769	3771	3773	rBV2	331	159	0.01%	0.002%
95	13.181	3773	3776	3780	rVB2	421	236	0.02%	0.002%
96	13.210	3780	3785	3786	rBV3	844	733	0.06%	0.007%
97	13.268	3798	3803	3808	rBV2	508	624	0.05%	0.006%
98	13.291	3808	3810	3812	rBV	418	220	0.02%	0.002%
99	13.519	3879	3881	3882	rBV	373	146	0.01%	0.001%
100	14.754	4261	4265	4267	rBV2	724	493	0.04%	0.005%

Sum of corrected areas: 10510988

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034862.D
Acq On : 27 Mar 2024 14:05
Operator : SY/MD
Sample : P1856-01 10X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034862.D
Acq On : 27 Mar 2024 14:05
Operator : SY/MD
Sample : P1856-01 10X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034862.D
Acq On : 27 Mar 2024 14:05
Operator : SY/MD
Sample : P1856-01 10X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
