

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034863.D
 Acq On : 27 Mar 2024 14:29
 Operator : SY/MD
 Sample : P1851-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M

Title : VOC Analysis

Signal : TIC: VV034863.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.282	68	75	87	rVB	161220	170665	13.58%	1.727%
2	1.532	146	153	168	rVB	157106	182316	14.51%	1.845%
3	2.060	308	317	331	rBV	280724	409491	32.59%	4.144%
4	2.452	433	439	444	rVB3	1224	1391	0.11%	0.014%
5	2.658	499	503	506	rBV2	336	268	0.02%	0.003%
6	2.706	513	518	519	rBV3	584	444	0.04%	0.004%
7	2.908	579	581	584	rBV2	307	233	0.02%	0.002%
8	2.921	584	585	589	rVB2	579	249	0.02%	0.003%
9	3.076	631	633	636	rVB2	309	211	0.02%	0.002%
10	3.236	681	683	688	rVB3	371	233	0.02%	0.002%
11	3.259	688	690	693	rBV2	327	194	0.02%	0.002%
12	3.326	709	711	714	rBV2	480	200	0.02%	0.002%
13	3.352	714	719	721	rBV	371	248	0.02%	0.003%
14	3.413	737	738	747	rVB2	530	469	0.04%	0.005%
15	3.452	747	750	752	rBV3	518	355	0.03%	0.004%
16	3.481	756	759	764	rVV2	491	373	0.03%	0.004%
17	3.629	802	805	808	rBV2	330	209	0.02%	0.002%
18	3.786	845	854	902	rBV	97263	289245	23.02%	2.927%
19	4.249	983	998	1030	rBV	204721	523594	41.67%	5.299%
20	4.516	1079	1081	1087	rVB4	641	512	0.04%	0.005%
21	4.548	1087	1091	1092	rBV	410	215	0.02%	0.002%
22	4.632	1115	1117	1120	rBV3	342	201	0.02%	0.002%
23	4.651	1120	1123	1125	rVV	425	220	0.02%	0.002%
24	4.748	1150	1153	1158	rVB3	485	463	0.04%	0.005%
25	4.773	1158	1161	1164	rBV2	337	194	0.02%	0.002%
26	4.847	1179	1184	1186	rBV3	365	296	0.02%	0.003%
27	4.889	1194	1197	1199	rBV	470	293	0.02%	0.003%
28	4.957	1202	1218	1255	rBV2	469734	1256524	100.00%	12.717%
29	5.342	1336	1338	1342	rBV3	365	263	0.02%	0.003%
30	5.410	1355	1359	1362	rBV3	562	385	0.03%	0.004%
31	5.532	1386	1397	1430	rBV	386625	804947	64.06%	8.147%
32	5.796	1476	1479	1482	rBV2	864	462	0.04%	0.005%
33	5.834	1482	1491	1507	rVV6	5981	13638	1.09%	0.138%
34	5.989	1524	1539	1564	rBV	285769	597581	47.56%	6.048%
35	6.291	1630	1633	1635	rBV2	772	390	0.03%	0.004%
36	6.484	1691	1693	1696	rBV3	285	193	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034863.D
 Acq On : 27 Mar 2024 14:29
 Operator : SY/MD
 Sample : P1851-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

37	6.510	1699	1701	1703	rBV2	741	362	0.03%	0.004%
38	6.587	1721	1725	1727	rBV3	332	232	0.02%	0.002%
39	6.616	1732	1734	1737	rBV3	476	237	0.02%	0.002%
40	6.831	1797	1801	1803	rBV	390	233	0.02%	0.002%
41	6.915	1816	1827	1853	rBV	142309	276299	21.99%	2.796%
42	7.243	1918	1929	1954	rBV	514875	921000	73.30%	9.321%
43	7.555	2016	2026	2057	rBV	97293	184970	14.72%	1.872%
44	7.818	2105	2108	2113	rVB4	431	372	0.03%	0.004%
45	7.841	2113	2115	2118	rBV3	363	201	0.02%	0.002%
46	7.866	2121	2123	2126	rBV3	493	365	0.03%	0.004%
47	7.908	2132	2136	2138	rBV3	629	350	0.03%	0.004%
48	7.982	2157	2159	2162	rVB3	527	198	0.02%	0.002%
49	8.024	2162	2172	2214	rBV	311860	634420	50.49%	6.421%
50	8.397	2286	2288	2291	rBV3	486	292	0.02%	0.003%
51	8.561	2337	2339	2343	rBV4	476	380	0.03%	0.004%
52	8.580	2343	2345	2351	rVB	781	578	0.05%	0.006%
53	8.641	2361	2364	2367	rBV3	621	444	0.04%	0.004%
54	8.677	2372	2375	2377	rBV4	617	463	0.04%	0.005%
55	8.783	2397	2408	2435	rBV	615751	1010752	80.44%	10.230%
56	9.117	2509	2512	2516	rVB4	1025	779	0.06%	0.008%
57	9.140	2516	2519	2520	rBV2	602	328	0.03%	0.003%
58	9.268	2554	2559	2562	rBV2	346	341	0.03%	0.003%
59	9.291	2562	2566	2568	rBV2	283	236	0.02%	0.002%
60	9.358	2584	2587	2590	rBV2	369	273	0.02%	0.003%
61	9.381	2592	2594	2597	rVV2	377	225	0.02%	0.002%
62	9.436	2609	2611	2617	rBV2	304	250	0.02%	0.003%
63	9.471	2619	2622	2624	rBV2	472	215	0.02%	0.002%
64	9.490	2624	2628	2631	rBV3	491	467	0.04%	0.005%
65	9.538	2641	2643	2647	rBV3	448	303	0.02%	0.003%
66	9.564	2647	2651	2652	rBV3	444	319	0.03%	0.003%
67	9.673	2680	2685	2687	rBV3	441	328	0.03%	0.003%
68	9.725	2694	2701	2706	rVB4	574	731	0.06%	0.007%
69	9.760	2706	2712	2714	rBV3	531	433	0.03%	0.004%
70	9.780	2714	2718	2724	rBV	349	424	0.03%	0.004%
71	9.802	2724	2725	2729	rVB2	426	211	0.02%	0.002%
72	9.850	2733	2740	2741	rVB2	227	207	0.02%	0.002%
73	9.863	2741	2744	2745	rBV2	437	242	0.02%	0.002%
74	9.879	2748	2749	2755	rVB3	697	458	0.04%	0.005%
75	10.153	2821	2834	2855	rBV	442850	703209	55.96%	7.117%
76	10.326	2886	2888	2892	rBV3	381	250	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034863.D
 Acq On : 27 Mar 2024 14:29
 Operator : SY/MD
 Sample : P1851-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis




77	10.368	2898	2901	2903	rBV	350	252	0.02%	0.003%
78	10.410	2912	2914	2917	rVB2	582	256	0.02%	0.003%
79	10.558	2956	2960	2967	rVB2	472	475	0.04%	0.005%
80	10.625	2977	2981	2985	rVV	291	264	0.02%	0.003%
81	10.667	2992	2994	3000	rVB2	562	454	0.04%	0.005%
82	10.786	3028	3031	3034	rVB	328	238	0.02%	0.002%
83	10.802	3034	3036	3038	rBV2	427	227	0.02%	0.002%
84	10.857	3050	3053	3058	rBV3	741	719	0.06%	0.007%
85	10.950	3078	3082	3087	rVB2	551	454	0.04%	0.005%
86	10.979	3087	3091	3095	rBV2	358	340	0.03%	0.003%
87	11.037	3106	3109	3115	rVB4	355	322	0.03%	0.003%
88	11.062	3115	3117	3129	rVB2	484	465	0.04%	0.005%
89	11.133	3133	3139	3144	rBV3	838	1104	0.09%	0.011%
90	11.185	3144	3155	3180	rBV	614075	962212	76.58%	9.739%
91	11.558	3260	3271	3296	rBV	580284	908528	72.30%	9.195%
92	12.188	3464	3467	3471	rBV2	362	267	0.02%	0.003%
93	12.304	3498	3503	3506	rBV3	502	511	0.04%	0.005%
94	12.394	3529	3531	3535	rBV	639	393	0.03%	0.004%
95	12.857	3673	3675	3680	rVV2	444	343	0.03%	0.003%
96	13.207	3776	3784	3789	rBV5	1301	1850	0.15%	0.019%
97	13.432	3852	3854	3857	rBV2	510	263	0.02%	0.003%
98	13.587	3900	3902	3906	rBV4	485	275	0.02%	0.003%
99	13.677	3928	3930	3931	rBV	766	384	0.03%	0.004%
100	13.889	3992	3996	3997	rBV2	452	299	0.02%	0.003%

Sum of corrected areas: 9880437

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034863.D
Acq On : 27 Mar 2024 14:29
Operator : SY/MD
Sample : P1851-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034863.D
Acq On : 27 Mar 2024 14:29
Operator : SY/MD
Sample : P1851-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034863.D
Acq On : 27 Mar 2024 14:29
Operator : SY/MD
Sample : P1851-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
