

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034866.D
 Acq On : 27 Mar 2024 15:41
 Operator : SY/MD
 Sample : P1851-11
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M

Title : VOC Analysis

Signal : TIC: VV034866.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	87	rVB	157656	163795	13.28%	1.672%
2	1.532	146	153	165	rVB	152278	177934	14.43%	1.816%
3	2.060	308	317	331	rBV	278414	396936	32.19%	4.052%
4	2.407	423	425	427	rBV2	447	256	0.02%	0.003%
5	2.658	499	503	504	rBV	375	286	0.02%	0.003%
6	2.687	509	512	513	rBV2	528	246	0.02%	0.003%
7	2.722	520	523	528	rVB2	961	756	0.06%	0.008%
8	2.767	533	537	538	rBV2	402	243	0.02%	0.002%
9	2.828	554	556	558	rBV	356	156	0.01%	0.002%
10	2.876	568	571	572	rBV2	274	182	0.01%	0.002%
11	2.963	596	598	600	rVB2	396	195	0.02%	0.002%
12	2.976	600	602	604	rBV2	309	139	0.01%	0.001%
13	2.989	604	606	609	rVB2	366	158	0.01%	0.002%
14	3.118	642	646	649	rBV2	454	276	0.02%	0.003%
15	3.137	650	652	656	rVB3	308	170	0.01%	0.002%
16	3.159	656	659	662	rBV2	359	322	0.03%	0.003%
17	3.265	690	692	695	rBV	362	155	0.01%	0.002%
18	3.330	710	712	714	rBV	268	141	0.01%	0.001%
19	3.368	722	724	727	rVB	469	207	0.02%	0.002%
20	3.410	734	737	740	rBV2	346	171	0.01%	0.002%
21	3.439	743	746	749	rVB3	319	214	0.02%	0.002%
22	3.474	754	757	759	rVB2	346	174	0.01%	0.002%
23	3.561	781	784	785	rBV	380	158	0.01%	0.002%
24	3.661	809	815	817	rBV2	153	140	0.01%	0.001%
25	3.680	817	821	823	rBV	364	229	0.02%	0.002%
26	3.706	826	829	833	rVB3	584	413	0.03%	0.004%
27	3.786	846	854	892	rBV	100857	293066	23.77%	2.992%
28	4.249	983	998	1026	rBV	201893	511266	41.46%	5.219%
29	4.513	1079	1080	1082	rVB	520	156	0.01%	0.002%
30	4.722	1142	1145	1146	rBV2	288	170	0.01%	0.002%
31	4.777	1159	1162	1166	rBV2	365	308	0.02%	0.003%
32	4.806	1169	1171	1174	rBV	457	334	0.03%	0.003%
33	4.957	1202	1218	1250	rBV2	457825	1233124	100.00%	12.588%
34	5.384	1348	1351	1353	rVB2	566	253	0.02%	0.003%
35	5.532	1386	1397	1424	rBV	381697	788165	63.92%	8.046%
36	5.834	1482	1491	1503	rBV	6358	13522	1.10%	0.138%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034866.D
 Acq On : 27 Mar 2024 15:41
 Operator : SY/MD
 Sample : P1851-11
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

37	5.989	1525	1539	1566	rBV	282086	589477	47.80%	6.018%
38	6.269	1625	1626	1630	rBV3	485	382	0.03%	0.004%
39	6.323	1641	1643	1645	rBV2	299	171	0.01%	0.002%
40	6.375	1654	1659	1660	rBV2	443	348	0.03%	0.004%
41	6.413	1667	1671	1673	rBV2	586	407	0.03%	0.004%
42	6.426	1673	1675	1678	rVV3	239	186	0.02%	0.002%
43	6.523	1703	1705	1710	rVB3	396	223	0.02%	0.002%
44	6.564	1715	1718	1722	rVB3	548	293	0.02%	0.003%
45	6.609	1722	1732	1733	rBV2	440	560	0.05%	0.006%
46	6.789	1786	1788	1790	rBV2	298	145	0.01%	0.001%
47	6.854	1805	1808	1811	rBV2	263	145	0.01%	0.001%
48	6.912	1816	1826	1854	rBV2	139207	274380	22.25%	2.801%
49	7.159	1900	1903	1907	rBV4	1009	755	0.06%	0.008%
50	7.243	1918	1929	1950	rBV	512526	900078	72.99%	9.188%
51	7.436	1987	1989	1992	rBV3	778	444	0.04%	0.005%
52	7.555	2017	2026	2048	rBV	96553	180899	14.67%	1.847%
53	7.854	2117	2119	2123	rBV2	264	213	0.02%	0.002%
54	7.902	2131	2134	2141	rVB2	682	571	0.05%	0.006%
55	7.963	2149	2153	2156	rBV3	373	307	0.02%	0.003%
56	7.979	2156	2158	2160	rVB2	387	161	0.01%	0.002%
57	8.024	2163	2172	2206	rBV	316409	633514	51.37%	6.467%
58	8.484	2312	2315	2320	rVB2	624	414	0.03%	0.004%
59	8.513	2320	2324	2327	rBV4	699	714	0.06%	0.007%
60	8.680	2373	2376	2378	rBV2	485	273	0.02%	0.003%
61	8.783	2397	2408	2444	rBV	602679	997518	80.89%	10.183%
62	9.021	2475	2482	2483	rBV4	978	977	0.08%	0.010%
63	9.149	2520	2522	2524	rBV	496	307	0.02%	0.003%
64	9.233	2546	2548	2549	rBV	831	323	0.03%	0.003%
65	9.313	2569	2573	2576	rBV	388	292	0.02%	0.003%
66	9.387	2590	2596	2597	rBV5	1079	889	0.07%	0.009%
67	9.461	2617	2619	2622	rVB	432	190	0.02%	0.002%
68	9.487	2622	2627	2630	rBV6	1159	1217	0.10%	0.012%
69	9.738	2698	2705	2712	rBV8	2182	3466	0.28%	0.035%
70	9.950	2769	2771	2774	rVB3	545	260	0.02%	0.003%
71	9.995	2783	2785	2786	rBV	495	194	0.02%	0.002%
72	10.056	2797	2804	2816	rBV6	3532	6534	0.53%	0.067%
73	10.149	2822	2833	2856	rBV	443340	706523	57.30%	7.212%
74	10.481	2932	2936	2938	rBV5	1028	852	0.07%	0.009%
75	10.625	2978	2981	2982	rBV2	388	190	0.02%	0.002%
76	10.664	2986	2993	3010	rVB8	5187	9386	0.76%	0.096%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034866.D
 Acq On : 27 Mar 2024 15:41
 Operator : SY/MD
 Sample : P1851-11
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis




77	10.799	3029	3035	3038	rBV5	1636	1894	0.15%	0.019%
78	10.921	3070	3073	3075	rBV	317	170	0.01%	0.002%
79	10.956	3075	3084	3090	rBV8	2372	3631	0.29%	0.037%
80	11.127	3134	3137	3143	rBV3	1054	1096	0.09%	0.011%
81	11.185	3143	3155	3175	rBV	622067	963526	78.14%	9.836%
82	11.471	3236	3244	3251	rBV9	1855	3139	0.25%	0.032%
83	11.558	3261	3271	3293	rVB	575060	908375	73.66%	9.273%
84	11.921	3381	3384	3386	rBV3	854	468	0.04%	0.005%
85	12.108	3439	3442	3446	rBV4	766	747	0.06%	0.008%
86	12.194	3466	3469	3473	rBV	544	439	0.04%	0.004%
87	12.233	3473	3481	3486	rBV5	2204	2759	0.22%	0.028%
88	12.323	3505	3509	3510	rBV2	924	479	0.04%	0.005%
89	12.535	3573	3575	3577	rBV2	411	168	0.01%	0.002%
90	12.580	3586	3589	3590	rBV	462	260	0.02%	0.003%
91	12.651	3608	3611	3613	rBV3	426	289	0.02%	0.003%
92	12.828	3658	3666	3675	rVB6	3456	5879	0.48%	0.060%
93	13.069	3737	3741	3744	rBV2	527	410	0.03%	0.004%
94	13.181	3774	3776	3777	rBV2	398	142	0.01%	0.001%
95	13.201	3780	3782	3783	rBV2	867	386	0.03%	0.004%
96	13.249	3795	3797	3800	rBV2	366	237	0.02%	0.002%
97	13.268	3800	3803	3810	rVV4	588	608	0.05%	0.006%
98	13.683	3930	3932	3936	rBV3	919	646	0.05%	0.007%
99	14.178	4078	4086	4088	rBV5	934	1167	0.09%	0.012%
100	14.284	4116	4119	4125	rBV3	577	453	0.04%	0.005%

Sum of corrected areas: 9795962

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034866.D
Acq On : 27 Mar 2024 15:41
Operator : SY/MD
Sample : P1851-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034866.D
Acq On : 27 Mar 2024 15:41
Operator : SY/MD
Sample : P1851-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034866.D
Acq On : 27 Mar 2024 15:41
Operator : SY/MD
Sample : P1851-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
