

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034867.D
 Acq On : 27 Mar 2024 16:05
 Operator : SY/MD
 Sample : P1851-13
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 16 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M

Title : VOC Analysis

Signal : TIC: VV034867.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	89	rVB	165353	175494	14.38%	1.798%
2	1.532	146	153	167	rVB	148539	176066	14.43%	1.804%
3	2.060	307	317	332	rBV	274524	402105	32.96%	4.120%
4	2.336	401	403	405	rBV2	504	243	0.02%	0.002%
5	2.626	491	493	498	rBV2	384	334	0.03%	0.003%
6	2.706	513	518	526	rBV5	1611	2035	0.17%	0.021%
7	2.873	567	570	571	rBV	347	152	0.01%	0.002%
8	2.883	571	573	577	rVV3	394	251	0.02%	0.003%
9	2.905	577	580	582	rVB3	417	283	0.02%	0.003%
10	2.921	582	585	587	rBV	220	161	0.01%	0.002%
11	3.037	617	621	623	rBV2	400	250	0.02%	0.003%
12	3.124	645	648	650	rBV2	288	190	0.02%	0.002%
13	3.217	676	677	682	rVB	243	161	0.01%	0.002%
14	3.327	708	711	714	rVB2	389	232	0.02%	0.002%
15	3.375	721	726	728	rBV2	312	295	0.02%	0.003%
16	3.420	734	740	741	rBV	333	213	0.02%	0.002%
17	3.487	757	761	765	rBV3	431	423	0.03%	0.004%
18	3.558	777	783	786	rVB2	213	230	0.02%	0.002%
19	3.667	815	817	820	rVB	311	183	0.02%	0.002%
20	3.687	820	823	829	rBV	506	366	0.03%	0.004%
21	3.786	845	854	890	rBV	99199	289261	23.71%	2.964%
22	4.249	982	998	1036	rBV2	198423	516311	42.32%	5.290%
23	4.822	1174	1176	1178	rBV2	357	164	0.01%	0.002%
24	4.835	1178	1180	1182	rVV3	288	144	0.01%	0.001%
25	4.860	1186	1188	1191	rVB2	395	161	0.01%	0.002%
26	4.902	1198	1201	1202	rBV	313	161	0.01%	0.002%
27	4.953	1202	1217	1254	rBV2	453501	1219992	100.00%	12.501%
28	5.413	1358	1360	1362	rBV2	521	259	0.02%	0.003%
29	5.458	1372	1374	1379	rVB	508	296	0.02%	0.003%
30	5.494	1380	1385	1386	rBV2	407	291	0.02%	0.003%
31	5.532	1386	1397	1428	rBV	380014	794503	65.12%	8.141%
32	5.838	1484	1492	1513	rVB5	8433	19122	1.57%	0.196%
33	5.931	1519	1521	1522	rBV2	452	176	0.01%	0.002%
34	5.989	1526	1539	1563	rBV	276648	582945	47.78%	5.973%
35	6.236	1612	1616	1621	rBV3	630	730	0.06%	0.007%
36	6.449	1678	1682	1686	rVB3	395	265	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034867.D
 Acq On : 27 Mar 2024 16:05
 Operator : SY/MD
 Sample : P1851-13
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 16 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M

Title : VOC Analysis

37	6.558	1712	1716	1719	rBV	207	173	0.01%	0.002%
38	6.590	1723	1726	1730	rBV2	220	185	0.02%	0.002%
39	6.609	1730	1732	1736	rBV	344	214	0.02%	0.002%
40	6.632	1736	1739	1740	rBV2	505	286	0.02%	0.003%
41	6.789	1786	1788	1792	rBV2	353	215	0.02%	0.002%
42	6.863	1808	1811	1813	rBV2	447	168	0.01%	0.002%
43	6.915	1816	1827	1864	rBV	136812	272440	22.33%	2.792%
44	7.178	1905	1909	1913	rVB5	888	667	0.05%	0.007%
45	7.243	1916	1929	1956	rBV	509240	898411	73.64%	9.206%
46	7.555	2016	2026	2048	rBV	95770	180917	14.83%	1.854%
47	7.834	2111	2113	2117	rBV	377	257	0.02%	0.003%
48	8.024	2159	2172	2209	rBV	307103	628514	51.52%	6.440%
49	8.539	2331	2332	2334	rBV	491	233	0.02%	0.002%
50	8.616	2354	2356	2358	rBV2	431	248	0.02%	0.003%
51	8.641	2362	2364	2367	rVV2	286	176	0.01%	0.002%
52	8.783	2397	2408	2441	rBV	599351	997593	81.77%	10.222%
53	9.085	2499	2502	2507	rBV5	934	936	0.08%	0.010%
54	9.114	2509	2511	2517	rVB2	736	579	0.05%	0.006%
55	9.143	2517	2520	2522	rBV	303	222	0.02%	0.002%
56	9.214	2540	2542	2545	rVB3	398	233	0.02%	0.002%
57	9.313	2568	2573	2578	rVB3	497	614	0.05%	0.006%
58	9.339	2578	2581	2583	rBV	263	176	0.01%	0.002%
59	9.442	2610	2613	2616	rBV2	350	183	0.02%	0.002%
60	9.493	2625	2629	2632	rVV3	475	429	0.04%	0.004%
61	9.551	2645	2647	2650	rBV	288	176	0.01%	0.002%
62	9.596	2657	2661	2665	rVB	323	226	0.02%	0.002%
63	9.680	2685	2687	2692	rVB2	515	283	0.02%	0.003%
64	9.712	2692	2697	2700	rBV	365	333	0.03%	0.003%
65	9.738	2703	2705	2710	rVB2	337	228	0.02%	0.002%
66	9.821	2728	2731	2732	rBV2	302	168	0.01%	0.002%
67	10.101	2815	2818	2821	rBV2	267	147	0.01%	0.002%
68	10.149	2821	2833	2866	rVV	431204	690936	56.63%	7.080%
69	10.323	2883	2887	2893	rVB4	846	828	0.07%	0.008%
70	10.487	2933	2938	2940	rBV3	852	724	0.06%	0.007%
71	10.629	2978	2982	2985	rVB2	323	251	0.02%	0.003%
72	10.661	2990	2992	2996	rBV3	231	162	0.01%	0.002%
73	10.796	3028	3034	3036	rBV2	386	348	0.03%	0.004%
74	10.850	3045	3051	3052	rBV3	285	294	0.02%	0.003%
75	10.969	3086	3088	3091	rBV2	431	218	0.02%	0.002%
76	11.059	3113	3116	3122	rBV2	382	340	0.03%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034867.D
 Acq On : 27 Mar 2024 16:05
 Operator : SY/MD
 Sample : P1851-13
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 16 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis




77	11.085	3122	3124	3128	rVV2	235	150	0.01%	0.002%
78	11.185	3144	3155	3182	rBV	615444	951956	78.03%	9.754%
79	11.497	3243	3252	3261	rBV4	13529	29130	2.39%	0.298%
80	11.558	3261	3271	3297	rVB	566958	907092	74.35%	9.294%
81	11.860	3361	3365	3372	rVB6	502	663	0.05%	0.007%
82	12.001	3407	3409	3413	rVB	537	262	0.02%	0.003%
83	12.104	3435	3441	3444	rBV3	594	643	0.05%	0.007%
84	12.120	3444	3446	3448	rBV	255	144	0.01%	0.001%
85	12.133	3448	3450	3453	rVB	775	349	0.03%	0.004%
86	12.159	3453	3458	3459	rBV2	677	398	0.03%	0.004%
87	12.236	3479	3482	3483	rBV	376	189	0.02%	0.002%
88	12.323	3507	3509	3511	rBV2	645	358	0.03%	0.004%
89	12.355	3517	3519	3520	rBV	414	201	0.02%	0.002%
90	12.432	3541	3543	3546	rBV2	366	254	0.02%	0.003%
91	12.455	3548	3550	3552	rBV2	316	161	0.01%	0.002%
92	12.490	3555	3561	3563	rBV	379	369	0.03%	0.004%
93	12.728	3632	3635	3640	rVV	477	293	0.02%	0.003%
94	12.751	3640	3642	3645	rVB3	383	177	0.01%	0.002%
95	12.876	3679	3681	3684	rBV2	316	193	0.02%	0.002%
96	13.014	3722	3724	3729	rVB2	363	279	0.02%	0.003%
97	13.204	3777	3783	3785	rBV4	913	910	0.07%	0.009%
98	13.239	3791	3794	3796	rBV3	441	255	0.02%	0.003%
99	13.574	3894	3898	3901	rBV3	480	506	0.04%	0.005%
100	13.844	3979	3982	3986	rVB2	625	348	0.03%	0.004%

Sum of corrected areas: 9759459

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034867.D
Acq On : 27 Mar 2024 16:05
Operator : SY/MD
Sample : P1851-13
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 16 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034867.D
Acq On : 27 Mar 2024 16:05
Operator : SY/MD
Sample : P1851-13
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 16 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034867.D
Acq On : 27 Mar 2024 16:05
Operator : SY/MD
Sample : P1851-13
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 16 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
