

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034868.D
 Acq On : 27 Mar 2024 16:29
 Operator : SY/MD
 Sample : P1852-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M

Title : VOC Analysis

Signal : TIC: VV034868.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	90	rVB	160051	166754	13.39%	1.713%
2	1.532	146	153	169	rVB	149275	177945	14.29%	1.828%
3	2.060	307	317	330	rBV	280533	408363	32.79%	4.194%
4	2.449	428	438	440	rBV6	1536	2002	0.16%	0.021%
5	2.548	464	469	470	rBV	690	444	0.04%	0.005%
6	2.696	512	515	517	rBV3	753	507	0.04%	0.005%
7	2.773	535	539	544	rBV3	355	400	0.03%	0.004%
8	2.899	575	578	581	rVB2	482	294	0.02%	0.003%
9	3.002	607	610	613	rVB2	274	182	0.01%	0.002%
10	3.101	637	641	644	rBV2	338	257	0.02%	0.003%
11	3.117	644	646	649	rVB2	373	206	0.02%	0.002%
12	3.195	669	670	673	rBV	304	180	0.01%	0.002%
13	3.259	687	690	695	rVB2	325	243	0.02%	0.002%
14	3.436	743	745	748	rVB	381	220	0.02%	0.002%
15	3.503	762	766	768	rBV2	343	215	0.02%	0.002%
16	3.558	780	783	785	rBV2	380	222	0.02%	0.002%
17	3.693	823	825	828	rBV2	286	184	0.01%	0.002%
18	3.732	831	837	842	rBV3	272	308	0.02%	0.003%
19	3.783	844	853	889	rBV	102907	281009	22.56%	2.886%
20	4.246	983	997	1030	rBV	200763	519697	41.73%	5.338%
21	4.738	1146	1150	1152	rBV2	705	461	0.04%	0.005%
22	4.818	1172	1175	1177	rVB3	330	199	0.02%	0.002%
23	4.834	1177	1180	1184	rBV4	615	465	0.04%	0.005%
24	4.889	1192	1197	1200	rBV3	568	439	0.04%	0.005%
25	4.953	1202	1217	1254	rBV2	464222	1245360	100.00%	12.791%
26	5.275	1315	1317	1321	rVB3	442	281	0.02%	0.003%
27	5.297	1322	1324	1326	rBV2	476	264	0.02%	0.003%
28	5.352	1339	1341	1345	rBV4	384	294	0.02%	0.003%
29	5.532	1386	1397	1430	rBV	367814	775838	62.30%	7.969%
30	5.780	1471	1474	1477	rBV3	503	309	0.02%	0.003%
31	5.831	1482	1490	1503	rBV5	6843	15495	1.24%	0.159%
32	5.989	1526	1539	1567	rBV	280004	586343	47.08%	6.022%
33	6.301	1632	1636	1638	rBV3	497	353	0.03%	0.004%
34	6.320	1638	1642	1646	rVV4	425	366	0.03%	0.004%
35	6.358	1652	1654	1659	rVB3	427	336	0.03%	0.003%
36	6.387	1661	1663	1668	rBV3	374	298	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034868.D
 Acq On : 27 Mar 2024 16:29
 Operator : SY/MD
 Sample : P1852-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

37	6.407	1668	1669	1674	rVB	342	181	0.01%	0.002%
38	6.429	1674	1676	1679	rBV2	358	303	0.02%	0.003%
39	6.468	1684	1688	1690	rBV2	420	338	0.03%	0.003%
40	6.622	1734	1736	1738	rBV2	378	178	0.01%	0.002%
41	6.654	1744	1746	1748	rBV	567	312	0.03%	0.003%
42	6.703	1758	1761	1763	rBV3	307	212	0.02%	0.002%
43	6.731	1767	1770	1774	rVB	314	207	0.02%	0.002%
44	6.754	1774	1777	1781	rBV4	716	625	0.05%	0.006%
45	6.854	1806	1808	1811	rVB	335	181	0.01%	0.002%
46	6.911	1815	1826	1852	rBV	141758	274857	22.07%	2.823%
47	7.162	1900	1904	1906	rBV2	505	351	0.03%	0.004%
48	7.243	1918	1929	1954	rBV	517601	914749	73.45%	9.395%
49	7.555	2017	2026	2054	rBV	95273	179999	14.45%	1.849%
50	7.754	2086	2088	2091	rBV3	513	299	0.02%	0.003%
51	7.850	2112	2118	2120	rBV2	345	345	0.03%	0.004%
52	7.863	2120	2122	2124	rBV2	596	343	0.03%	0.004%
53	7.921	2137	2140	2143	rVB	458	259	0.02%	0.003%
54	8.024	2162	2172	2215	rBV	310341	631922	50.74%	6.490%
55	8.545	2332	2334	2337	rBV	343	262	0.02%	0.003%
56	8.670	2371	2373	2378	rVB2	319	214	0.02%	0.002%
57	8.702	2381	2383	2388	rVB	499	256	0.02%	0.003%
58	8.728	2388	2391	2393	rBV3	318	214	0.02%	0.002%
59	8.783	2397	2408	2433	rBV	583106	970980	77.97%	9.973%
60	9.014	2478	2480	2481	rBV2	672	282	0.02%	0.003%
61	9.075	2495	2499	2503	rBV4	377	367	0.03%	0.004%
62	9.175	2525	2530	2532	rBV4	582	566	0.05%	0.006%
63	9.217	2541	2543	2548	rBV3	274	187	0.02%	0.002%
64	9.349	2582	2584	2588	rBV	429	288	0.02%	0.003%
65	9.397	2593	2599	2600	rBV2	374	284	0.02%	0.003%
66	9.497	2628	2630	2635	rVB	448	240	0.02%	0.002%
67	9.564	2649	2651	2656	rVB2	588	297	0.02%	0.003%
68	9.593	2656	2660	2664	rBV2	543	458	0.04%	0.005%
69	9.715	2696	2698	2700	rBV	329	193	0.02%	0.002%
70	9.747	2705	2708	2710	rBV	332	221	0.02%	0.002%
71	9.773	2714	2716	2722	rBV3	450	304	0.02%	0.003%
72	9.837	2732	2736	2739	rBV	414	307	0.02%	0.003%
73	9.944	2765	2769	2772	rVB4	347	258	0.02%	0.003%
74	10.040	2797	2799	2803	rBV2	392	294	0.02%	0.003%
75	10.149	2822	2833	2858	rBV	443435	706715	56.75%	7.259%
76	10.458	2925	2929	2933	rBV3	468	303	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034868.D
 Acq On : 27 Mar 2024 16:29
 Operator : SY/MD
 Sample : P1852-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis




77	10.587	2967	2969	2972	rBV2	459	245	0.02%	0.003%
78	10.751	3018	3020	3026	rVV2	379	226	0.02%	0.002%
79	10.792	3030	3033	3037	rBV3	319	210	0.02%	0.002%
80	10.831	3041	3045	3048	rBV3	275	213	0.02%	0.002%
81	10.870	3052	3057	3062	rVB3	622	686	0.06%	0.007%
82	10.989	3090	3094	3097	rBV2	292	235	0.02%	0.002%
83	11.040	3104	3110	3113	rBV3	437	464	0.04%	0.005%
84	11.059	3113	3116	3118	rBV	241	206	0.02%	0.002%
85	11.130	3133	3138	3144	rBV3	677	760	0.06%	0.008%
86	11.185	3144	3155	3179	rBV	596126	922851	74.10%	9.479%
87	11.394	3217	3220	3224	rBV2	610	532	0.04%	0.005%
88	11.558	3248	3271	3294	rBV	573471	929634	74.65%	9.548%
89	12.349	3514	3517	3519	rBV2	529	313	0.03%	0.003%
90	12.522	3569	3571	3573	rBV3	401	202	0.02%	0.002%
91	12.596	3588	3594	3597	rBV4	726	732	0.06%	0.008%
92	12.622	3600	3602	3605	rVB2	465	218	0.02%	0.002%
93	12.641	3605	3608	3610	rBV2	330	227	0.02%	0.002%
94	12.779	3648	3651	3654	rBV	464	268	0.02%	0.003%
95	12.869	3677	3679	3683	rBV2	329	248	0.02%	0.003%
96	13.188	3775	3778	3780	rBV	608	360	0.03%	0.004%
97	13.355	3828	3830	3834	rBV2	389	244	0.02%	0.003%
98	13.381	3835	3838	3840	rBV2	315	205	0.02%	0.002%
99	13.969	4019	4021	4029	rVB4	763	754	0.06%	0.008%
100	14.004	4029	4032	4033	rBV	416	198	0.02%	0.002%

Sum of corrected areas: 9736115

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034868.D
Acq On : 27 Mar 2024 16:29
Operator : SY/MD
Sample : P1852-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 17 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034868.D
Acq On : 27 Mar 2024 16:29
Operator : SY/MD
Sample : P1852-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 17 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034868.D
Acq On : 27 Mar 2024 16:29
Operator : SY/MD
Sample : P1852-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 17 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
