

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034869.D
 Acq On : 27 Mar 2024 16:53
 Operator : SY/MD
 Sample : P1852-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 18 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M

Title : VOC Analysis

Signal : TIC: VV034869.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	92	rVB	167945	176105	13.74%	1.745%
2	1.532	146	153	166	rVB	154489	180622	14.10%	1.790%
3	2.060	307	317	331	rBV	284864	414173	32.32%	4.104%
4	2.516	451	459	465	rBV4	1425	2457	0.19%	0.024%
5	2.658	500	503	507	rBV2	360	292	0.02%	0.003%
6	2.690	511	513	514	rBV2	449	239	0.02%	0.002%
7	2.773	537	539	543	rBV2	354	151	0.01%	0.001%
8	2.822	549	554	557	rVB2	562	447	0.03%	0.004%
9	2.928	584	587	589	rBV2	347	215	0.02%	0.002%
10	2.960	593	597	602	rBV2	315	231	0.02%	0.002%
11	3.040	616	622	625	rBV3	491	458	0.04%	0.005%
12	3.063	625	629	633	rVV2	270	208	0.02%	0.002%
13	3.095	636	639	643	rBV2	492	303	0.02%	0.003%
14	3.117	643	646	649	rBV2	194	159	0.01%	0.002%
15	3.185	661	667	669	rBV2	305	286	0.02%	0.003%
16	3.201	669	672	674	rBV	313	202	0.02%	0.002%
17	3.265	688	692	695	rBV	322	196	0.02%	0.002%
18	3.291	695	700	707	rVB3	509	624	0.05%	0.006%
19	3.320	707	709	711	rBV	300	173	0.01%	0.002%
20	3.413	735	738	744	rBV3	416	332	0.03%	0.003%
21	3.494	760	763	766	rVB	437	226	0.02%	0.002%
22	3.603	789	797	799	rBV	214	256	0.02%	0.003%
23	3.677	817	820	825	rVB4	501	328	0.03%	0.003%
24	3.783	844	853	893	rBV	103180	295863	23.09%	2.932%
25	4.249	982	998	1032	rBV	209083	540647	42.19%	5.357%
26	4.542	1086	1089	1093	rBV3	509	474	0.04%	0.005%
27	4.577	1096	1100	1101	rBV2	738	438	0.03%	0.004%
28	4.870	1186	1191	1195	rVB4	501	490	0.04%	0.005%
29	4.899	1195	1200	1201	rBV2	285	212	0.02%	0.002%
30	4.953	1201	1217	1250	rBV2	474120	1281317	100.00%	12.696%
31	5.333	1332	1335	1336	rBV3	570	301	0.02%	0.003%
32	5.400	1354	1356	1362	rVB3	641	522	0.04%	0.005%
33	5.532	1386	1397	1432	rBV	391235	811705	63.35%	8.043%
34	5.834	1481	1491	1508	rBV6	7419	18112	1.41%	0.179%
35	5.918	1514	1517	1524	rVB3	596	641	0.05%	0.006%
36	5.989	1524	1539	1568	rBV	293633	616786	48.14%	6.111%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034869.D
 Acq On : 27 Mar 2024 16:53
 Operator : SY/MD
 Sample : P1852-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 18 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

37	6.391	1661	1664	1668	rBV3	498	385	0.03%	0.004%
38	6.410	1668	1670	1671	rVB	410	146	0.01%	0.001%
39	6.493	1692	1696	1697	rBV	232	156	0.01%	0.002%
40	6.510	1699	1701	1706	rVB4	670	502	0.04%	0.005%
41	6.593	1722	1727	1728	rBV	440	301	0.02%	0.003%
42	6.606	1729	1731	1737	rVB4	365	267	0.02%	0.003%
43	6.680	1750	1754	1756	rBV4	482	395	0.03%	0.004%
44	6.767	1776	1781	1784	rBV2	386	346	0.03%	0.003%
45	6.786	1784	1787	1792	rVB3	375	244	0.02%	0.002%
46	6.911	1816	1826	1854	rBV	147343	282348	22.04%	2.798%
47	7.243	1918	1929	1951	rBV	524740	932447	72.77%	9.239%
48	7.555	2016	2026	2056	rBV	100640	189607	14.80%	1.879%
49	7.744	2083	2085	2089	rVB3	763	314	0.02%	0.003%
50	7.979	2155	2158	2160	rBV	232	151	0.01%	0.001%
51	8.024	2163	2172	2210	rBV	329258	647283	50.52%	6.414%
52	8.606	2348	2353	2355	rBV2	609	465	0.04%	0.005%
53	8.783	2397	2408	2443	rBV	617029	1028806	80.29%	10.194%
54	9.133	2515	2517	2519	rBV2	351	198	0.02%	0.002%
55	9.194	2534	2536	2540	rBV5	516	378	0.03%	0.004%
56	9.310	2570	2572	2575	rVB	322	173	0.01%	0.002%
57	9.416	2603	2605	2607	rBV	332	193	0.02%	0.002%
58	9.593	2657	2660	2663	rBV	435	265	0.02%	0.003%
59	9.606	2663	2664	2668	rVB	300	169	0.01%	0.002%
60	9.622	2668	2669	2672	rBV2	398	210	0.02%	0.002%
61	9.638	2672	2674	2677	rVB	508	236	0.02%	0.002%
62	9.661	2677	2681	2684	rBV2	316	185	0.01%	0.002%
63	9.866	2742	2745	2746	rBV2	478	226	0.02%	0.002%
64	9.976	2777	2779	2783	rVV2	252	162	0.01%	0.002%
65	10.017	2789	2792	2794	rBV2	287	188	0.01%	0.002%
66	10.152	2822	2834	2857	rBV	454599	731563	57.09%	7.249%
67	10.413	2910	2915	2918	rBV3	385	294	0.02%	0.003%
68	10.432	2918	2921	2924	rBV	238	161	0.01%	0.002%
69	10.477	2933	2935	2938	rBV	443	253	0.02%	0.003%
70	10.561	2958	2961	2963	rBV	397	234	0.02%	0.002%
71	10.648	2987	2988	2992	rBV	292	180	0.01%	0.002%
72	10.751	3018	3020	3023	rVV2	361	199	0.02%	0.002%
73	10.789	3029	3032	3036	rBV4	332	306	0.02%	0.003%
74	10.824	3040	3043	3045	rBV	351	217	0.02%	0.002%
75	10.860	3049	3054	3056	rBV2	610	565	0.04%	0.006%
76	10.985	3090	3093	3095	rBV2	314	174	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034869.D
 Acq On : 27 Mar 2024 16:53
 Operator : SY/MD
 Sample : P1852-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 18 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis



77	11.130	3133	3138	3140	rBV4	800	714	0.06%	0.007%
78	11.185	3144	3155	3175	rBV	626422	972759	75.92%	9.639%
79	11.461	3239	3241	3243	rBV	309	186	0.01%	0.002%
80	11.474	3243	3245	3248	rBV3	402	206	0.02%	0.002%
81	11.513	3248	3257	3259	rBV5	3131	4359	0.34%	0.043%
82	11.561	3261	3272	3292	rVB	592349	940785	73.42%	9.322%
83	11.863	3363	3366	3370	rBV4	656	552	0.04%	0.005%
84	11.934	3386	3388	3391	rBV2	298	166	0.01%	0.002%
85	11.972	3398	3400	3407	rBV2	594	542	0.04%	0.005%
86	12.095	3433	3438	3441	rBV3	664	599	0.05%	0.006%
87	12.535	3571	3575	3580	rBV2	239	193	0.02%	0.002%
88	12.590	3587	3592	3593	rBV2	685	533	0.04%	0.005%
89	12.648	3605	3610	3611	rBV	526	325	0.03%	0.003%
90	12.676	3617	3619	3621	rBV	418	190	0.01%	0.002%
91	12.921	3692	3695	3699	rVB3	575	341	0.03%	0.003%
92	12.966	3705	3709	3711	rBV2	529	362	0.03%	0.004%
93	13.040	3729	3732	3734	rBV2	323	202	0.02%	0.002%
94	13.139	3760	3763	3769	rBV3	590	481	0.04%	0.005%
95	13.175	3772	3774	3777	rBV2	451	302	0.02%	0.003%
96	13.239	3792	3794	3797	rVB2	394	195	0.02%	0.002%
97	13.393	3839	3842	3847	rBV2	435	407	0.03%	0.004%
98	13.625	3912	3914	3918	rVB	424	230	0.02%	0.002%
99	13.721	3941	3944	3946	rBV2	364	261	0.02%	0.003%
100	14.053	4045	4047	4049	rBV2	544	280	0.02%	0.003%

Sum of corrected areas: 10092253

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034869.D
Acq On : 27 Mar 2024 16:53
Operator : SY/MD
Sample : P1852-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 18 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034869.D
Acq On : 27 Mar 2024 16:53
Operator : SY/MD
Sample : P1852-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 18 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034869.D
Acq On : 27 Mar 2024 16:53
Operator : SY/MD
Sample : P1852-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 18 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
