

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034873.D
 Acq On : 27 Mar 2024 18:28
 Operator : SY/MD
 Sample : P1886-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M

Title : VOC Analysis

Signal : TIC: VV034873.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	86	rVB	150532	157520	13.18%	1.668%
2	1.532	146	153	171	rVB	145114	170597	14.28%	1.807%
3	2.059	308	317	330	rBV	265277	379239	31.74%	4.017%
4	2.503	451	455	457	rVB2	350	265	0.02%	0.003%
5	2.638	493	497	501	rBV3	384	387	0.03%	0.004%
6	2.703	512	517	518	rBV2	562	468	0.04%	0.005%
7	2.838	555	559	560	rBV	312	149	0.01%	0.002%
8	2.873	568	570	572	rBV2	293	129	0.01%	0.001%
9	2.941	588	591	593	rBV	299	167	0.01%	0.002%
10	2.992	605	607	610	rVB	368	178	0.01%	0.002%
11	3.021	613	616	618	rBV2	301	150	0.01%	0.002%
12	3.059	623	628	631	rBV2	359	304	0.03%	0.003%
13	3.162	658	660	663	rVB2	501	219	0.02%	0.002%
14	3.262	686	691	694	rBV2	349	306	0.03%	0.003%
15	3.291	696	700	703	rVB2	316	218	0.02%	0.002%
16	3.436	742	745	750	rVB	256	155	0.01%	0.002%
17	3.494	760	763	767	rVB3	382	268	0.02%	0.003%
18	3.561	780	784	786	rBV2	197	143	0.01%	0.002%
19	3.600	790	796	801	rVB4	754	711	0.06%	0.008%
20	3.622	801	803	805	rVB	385	136	0.01%	0.001%
21	3.783	844	853	886	rBV	98255	269312	22.54%	2.852%
22	4.249	984	998	1025	rBV	199872	544866	45.60%	5.771%
23	4.674	1126	1130	1132	rBV2	390	269	0.02%	0.003%
24	4.728	1145	1147	1149	rBV2	372	179	0.01%	0.002%
25	4.796	1167	1168	1170	rBV2	370	139	0.01%	0.001%
26	4.957	1202	1218	1256	rBV2	444538	1194952	100.00%	12.656%
27	5.256	1309	1311	1313	rBV2	487	252	0.02%	0.003%
28	5.532	1386	1397	1424	rBV	369471	766775	64.17%	8.121%
29	5.831	1480	1490	1516	rVB4	11815	27171	2.27%	0.288%
30	5.989	1526	1539	1567	rBV	268438	568627	47.59%	6.022%
31	6.355	1651	1653	1656	rBV2	326	222	0.02%	0.002%
32	6.384	1660	1662	1664	rBV2	420	173	0.01%	0.002%
33	6.445	1669	1681	1693	rBV3	4553	10438	0.87%	0.111%
34	6.535	1706	1709	1712	rBV	192	131	0.01%	0.001%
35	6.632	1736	1739	1742	rBV2	498	392	0.03%	0.004%
36	6.718	1764	1766	1768	rBV	242	130	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034873.D
 Acq On : 27 Mar 2024 18:28
 Operator : SY/MD
 Sample : P1886-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

37	6.786	1785	1787	1791	rVB2	312	193	0.02%	0.002%
38	6.802	1791	1792	1795	rVB	319	169	0.01%	0.002%
39	6.825	1795	1799	1800	rBV	293	196	0.02%	0.002%
40	6.837	1800	1803	1807	rVB	214	153	0.01%	0.002%
41	6.857	1807	1809	1812	rBV2	447	219	0.02%	0.002%
42	6.915	1816	1827	1860	rBV	134192	263129	22.02%	2.787%
43	7.243	1918	1929	1954	rBV	486264	861078	72.06%	9.120%
44	7.554	2017	2026	2053	rBV	92415	174412	14.60%	1.847%
45	7.808	2102	2105	2107	rBV3	424	196	0.02%	0.002%
46	7.825	2108	2110	2113	rVB2	421	161	0.01%	0.002%
47	7.882	2126	2128	2131	rBV3	264	204	0.02%	0.002%
48	7.947	2144	2148	2151	rVB2	249	190	0.02%	0.002%
49	7.963	2151	2153	2155	rBV2	442	256	0.02%	0.003%
50	8.024	2159	2172	2205	rBV	304053	603741	50.52%	6.394%
51	8.709	2384	2385	2388	rVB	298	144	0.01%	0.002%
52	8.731	2388	2392	2396	rBV3	296	344	0.03%	0.004%
53	8.783	2397	2408	2434	rBV	588102	964827	80.74%	10.219%
54	9.034	2483	2486	2488	rBV2	649	377	0.03%	0.004%
55	9.056	2491	2493	2495	rBV2	226	146	0.01%	0.002%
56	9.165	2525	2527	2530	rVB2	652	225	0.02%	0.002%
57	9.268	2557	2559	2563	rVB3	402	244	0.02%	0.003%
58	9.361	2586	2588	2589	rBV3	280	138	0.01%	0.001%
59	9.390	2593	2597	2602	rBV3	350	257	0.02%	0.003%
60	9.426	2605	2608	2613	rVB2	323	220	0.02%	0.002%
61	9.477	2619	2624	2625	rBV3	506	319	0.03%	0.003%
62	9.718	2696	2699	2701	rBV3	412	248	0.02%	0.003%
63	9.731	2701	2703	2705	rVV	304	127	0.01%	0.001%
64	9.918	2759	2761	2764	rVB4	415	191	0.02%	0.002%
65	10.027	2793	2795	2798	rVB2	402	182	0.02%	0.002%
66	10.059	2803	2805	2808	rBV2	330	215	0.02%	0.002%
67	10.152	2822	2834	2856	rBV	423568	670665	56.12%	7.103%
68	10.641	2983	2986	2989	rBV3	381	205	0.02%	0.002%
69	10.677	2994	2997	3000	rBV2	486	367	0.03%	0.004%
70	10.779	3027	3029	3030	rBV2	273	137	0.01%	0.001%
71	10.821	3037	3042	3044	rBV2	254	224	0.02%	0.002%
72	10.860	3052	3054	3056	rBV3	517	241	0.02%	0.003%
73	10.911	3066	3070	3074	rBV2	289	283	0.02%	0.003%
74	10.953	3081	3083	3085	rBV	256	134	0.01%	0.001%
75	10.988	3090	3094	3097	rBV3	570	475	0.04%	0.005%
76	11.024	3102	3105	3106	rBV	364	159	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
 Data File : VV034873.D
 Acq On : 27 Mar 2024 18:28
 Operator : SY/MD
 Sample : P1886-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis




77	11.075	3118	3121	3122	rBV2	247	145	0.01%	0.002%
78	11.130	3133	3138	3142	rBV2	889	723	0.06%	0.008%
79	11.185	3144	3155	3181	rBV	591251	914897	76.56%	9.690%
80	11.477	3243	3246	3248	rBV	298	185	0.02%	0.002%
81	11.561	3259	3272	3296	rBV	554041	879255	73.58%	9.312%
82	11.802	3345	3347	3350	rBV2	375	286	0.02%	0.003%
83	11.837	3355	3358	3362	rVB3	602	357	0.03%	0.004%
84	11.885	3372	3373	3375	rBV2	391	148	0.01%	0.002%
85	11.927	3384	3386	3388	rBV2	331	164	0.01%	0.002%
86	11.956	3393	3395	3398	rBV	274	153	0.01%	0.002%
87	11.998	3404	3408	3410	rBV3	400	299	0.03%	0.003%
88	12.197	3468	3470	3479	rVB5	381	436	0.04%	0.005%
89	12.406	3532	3535	3536	rBV2	373	271	0.02%	0.003%
90	12.448	3546	3548	3551	rVB	438	168	0.01%	0.002%
91	12.599	3593	3595	3598	rVB2	506	314	0.03%	0.003%
92	12.828	3663	3666	3668	rBV2	337	265	0.02%	0.003%
93	12.908	3689	3691	3693	rBV2	448	214	0.02%	0.002%
94	12.985	3713	3715	3718	rBV2	313	212	0.02%	0.002%
95	13.178	3773	3775	3780	rVB2	447	258	0.02%	0.003%
96	13.210	3780	3785	3791	rVB4	865	892	0.07%	0.009%
97	13.255	3797	3799	3800	rBV4	374	145	0.01%	0.002%
98	13.429	3850	3853	3856	rBV3	498	283	0.02%	0.003%
99	13.586	3899	3902	3905	rBV2	311	162	0.01%	0.002%
100	13.953	4014	4016	4023	rVB	547	371	0.03%	0.004%

Sum of corrected areas: 9441731

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034873.D
Acq On : 27 Mar 2024 18:28
Operator : SY/MD
Sample : P1886-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034873.D
Acq On : 27 Mar 2024 18:28
Operator : SY/MD
Sample : P1886-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032724\
Data File : VV034873.D
Acq On : 27 Mar 2024 18:28
Operator : SY/MD
Sample : P1886-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
