

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW032824\
 Data File : VW034888.D
 Acq On : 28 Mar 2024 15:58
 Operator : SY/MD
 Sample : P1822-01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0778

Quant Time: Mar 29 00:26:09 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 29 00:23:40 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	359550	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	360156	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	167676	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	143018	41.188	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	82.380%		
7) Chloroethane-d5	1.532	69	127817	42.380	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	84.760%		
11) 1,1-Dichloroethene-d2	2.060	65	64956	42.675	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	85.340%		
21) 2-Butanone-d5	3.793	46	139787	67.878	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	67.880%		
24) Chloroform-d	4.246	84	231663	39.681	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	79.360%		
26) 1,2-Dichloroethane-d4	4.941	65	148429	40.044	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	80.080%		
32) Benzene-d6	4.960	84	473622	39.149	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	78.300%		
36) 1,2-Dichloropropane-d6	5.989	67	149516	38.920	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	77.840%		
41) Toluene-d8	7.243	98	420730	38.616	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	77.240%#		
43) trans-1,3-Dichloroprop...	7.555	79	65609	35.130	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	70.260%		
47) 2-Hexanone-d5	8.027	63	88894	61.202	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	61.200%		
56) 1,1,2,2-Tetrachloroeth...	10.153	84	195247	36.907	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	73.820%		
66) 1,2-Dichlorobenzene-d4	11.558	152	154027	40.914	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	81.820%		
Target Compounds					Qvalue	
25) Chloroform	4.278	83	23963	4.530	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032824\
Data File : VV034888.D
Acq On : 28 Mar 2024 15:58
Operator : SY/MD
Sample : P1822-01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0778

Quant Time: Mar 29 00:26:09 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 29 00:23:40 2024
Response via : Initial Calibration

