

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032824\
 Data File : VV034881.D
 Acq On : 28 Mar 2024 13:11
 Operator : SY/MD
 Sample : P1852-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOLY2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

Signal : TIC: VV034881.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.281	68	75	89	rVB	256852	269899	17.34%	2.330%
2	1.532	146	153	172	rVB	227028	268515	17.25%	2.318%
3	2.063	308	318	334	rBV	425918	623050	40.03%	5.379%
4	2.442	433	436	438	rBV2	1046	762	0.05%	0.007%
5	2.548	466	469	472	rBV2	501	343	0.02%	0.003%
6	2.580	477	479	483	rBV3	749	475	0.03%	0.004%
7	2.642	494	498	500	rBV3	323	229	0.01%	0.002%
8	2.674	504	508	512	rVV3	499	307	0.02%	0.003%
9	2.744	528	530	536	rVB3	716	561	0.04%	0.005%
10	2.799	545	547	552	rBV3	487	404	0.03%	0.003%
11	2.863	564	567	569	rBV2	384	245	0.02%	0.002%
12	2.915	582	583	588	rBV	370	271	0.02%	0.002%
13	2.982	599	604	605	rBV	327	254	0.02%	0.002%
14	3.146	649	655	658	rBV3	267	297	0.02%	0.003%
15	3.162	658	660	662	rBV	157	55	0.00%	0.000%
16	3.172	662	663	665	rBV	225	97	0.01%	0.001%
17	3.333	710	713	719	rVB3	435	386	0.02%	0.003%
18	3.407	734	736	738	rBV	309	157	0.01%	0.001%
19	3.465	752	754	756	rBV	218	63	0.00%	0.001%
20	3.484	758	760	762	rVB2	354	175	0.01%	0.002%
21	3.539	775	777	780	rVB2	296	150	0.01%	0.001%
22	3.568	784	786	790	rBV	98	55	0.00%	0.000%
23	3.600	790	796	799	rBV3	276	267	0.02%	0.002%
24	3.616	799	801	808	rVB2	266	316	0.02%	0.003%
25	3.648	808	811	812	rBV	364	194	0.01%	0.002%
26	3.677	815	820	821	rBV2	362	229	0.01%	0.002%
27	3.754	839	844	847	rBV4	331	362	0.02%	0.003%
28	3.789	847	855	886	rBV	90640	260860	16.76%	2.252%
29	4.249	983	998	1038	rBV	239716	616630	39.62%	5.324%
30	4.686	1130	1134	1137	rBV3	622	420	0.03%	0.004%
31	4.744	1149	1152	1155	rBV3	424	348	0.02%	0.003%
32	4.889	1195	1197	1198	rBV	240	92	0.01%	0.001%
33	4.899	1198	1200	1202	rVB	357	109	0.01%	0.001%
34	4.957	1202	1218	1252	rBV2	590683	1556469	100.00%	13.439%
35	5.330	1331	1334	1337	rBV3	713	506	0.03%	0.004%
36	5.481	1378	1381	1384	rVB2	690	472	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW032824\
 Data File : VW034881.D
 Acq On : 28 Mar 2024 13:11
 Operator : SY/MD
 Sample : P1852-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOLY2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

37	5.535	1386	1398	1421	rBV	417925	864523	55.54%	7.464%
38	5.940	1522	1524	1526	rBV2	489	275	0.02%	0.002%
39	5.989	1526	1539	1571	rVV	334746	705464	45.32%	6.091%
40	6.278	1626	1629	1631	rBV2	420	262	0.02%	0.002%
41	6.313	1639	1640	1644	rBV3	329	201	0.01%	0.002%
42	6.355	1649	1653	1657	rBV3	337	369	0.02%	0.003%
43	6.416	1667	1672	1675	rBV3	850	670	0.04%	0.006%
44	6.455	1681	1684	1688	rBV2	550	382	0.02%	0.003%
45	6.506	1696	1700	1702	rBV2	234	195	0.01%	0.002%
46	6.535	1707	1709	1713	rVB2	452	220	0.01%	0.002%
47	6.564	1716	1718	1719	rBV2	193	96	0.01%	0.001%
48	6.648	1742	1744	1746	rBV	311	143	0.01%	0.001%
49	6.664	1746	1749	1753	rVV2	501	440	0.03%	0.004%
50	6.722	1765	1767	1768	rBV	119	50	0.00%	0.000%
51	6.731	1768	1770	1771	rBV	288	132	0.01%	0.001%
52	6.741	1771	1773	1774	rBV2	370	162	0.01%	0.001%
53	6.805	1789	1793	1797	rVB3	439	347	0.02%	0.003%
54	6.870	1810	1813	1815	rVB2	370	150	0.01%	0.001%
55	6.911	1815	1826	1856	rBV	173468	339245	21.80%	2.929%
56	7.243	1915	1929	1963	rBV	709852	1255376	80.66%	10.839%
57	7.555	2017	2026	2055	rBV	119675	221779	14.25%	1.915%
58	7.751	2085	2087	2090	rBV2	620	324	0.02%	0.003%
59	7.786	2094	2098	2099	rBV2	691	438	0.03%	0.004%
60	7.902	2132	2134	2135	rBV2	448	172	0.01%	0.001%
61	7.921	2138	2140	2142	rVV	527	277	0.02%	0.002%
62	8.024	2163	2172	2211	rBV2	288853	627488	40.31%	5.418%
63	8.487	2313	2316	2317	rBV2	496	330	0.02%	0.003%
64	8.612	2354	2355	2356	rBV	472	155	0.01%	0.001%
65	8.654	2366	2368	2373	rBV2	467	277	0.02%	0.002%
66	8.783	2397	2408	2452	rBV	656844	1097751	70.53%	9.478%
67	9.300	2566	2569	2571	rBV	337	246	0.02%	0.002%
68	9.378	2591	2593	2595	rBV	442	178	0.01%	0.002%
69	9.439	2606	2612	2613	rBV	651	521	0.03%	0.004%
70	9.577	2653	2655	2657	rVB	453	139	0.01%	0.001%
71	9.641	2673	2675	2678	rVB	632	325	0.02%	0.003%
72	9.661	2678	2681	2685	rBV4	580	545	0.04%	0.005%
73	9.773	2712	2716	2718	rBV2	358	255	0.02%	0.002%
74	9.818	2727	2730	2732	rBV	429	292	0.02%	0.003%
75	9.873	2743	2747	2748	rBV2	602	392	0.03%	0.003%
76	9.985	2780	2782	2785	rVB3	367	159	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032824\
 Data File : VV034881.D
 Acq On : 28 Mar 2024 13:11
 Operator : SY/MD
 Sample : P1852-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0LY2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

77	10.037	2796	2798	2800	rBV	323	184	0.01%	0.002%
78	10.149	2822	2833	2857	rBV	455456	720895	46.32%	6.224%
79	10.329	2883	2889	2896	rVB5	973	1382	0.09%	0.012%
80	10.619	2977	2979	2982	rBV	250	130	0.01%	0.001%
81	10.635	2982	2984	2987	rBV	448	251	0.02%	0.002%
82	10.728	3010	3013	3016	rBV2	391	253	0.02%	0.002%
83	10.818	3039	3041	3042	rVB	417	98	0.01%	0.001%
84	10.857	3049	3053	3056	rBV3	631	485	0.03%	0.004%
85	11.075	3117	3121	3122	rBV	294	205	0.01%	0.002%
86	11.130	3132	3138	3144	rBV5	1502	2239	0.14%	0.019%
87	11.185	3144	3155	3181	rVV	662279	1031410	66.27%	8.905%
88	11.448	3233	3237	3239	rBV4	405	369	0.02%	0.003%
89	11.506	3251	3255	3259	rBV2	472	553	0.04%	0.005%
90	11.558	3259	3271	3297	rBV	674826	1078761	69.31%	9.314%
91	12.185	3463	3466	3467	rBV	533	229	0.01%	0.002%
92	12.246	3482	3485	3493	rBV2	681	812	0.05%	0.007%
93	12.586	3587	3591	3602	rVB6	1636	2277	0.15%	0.020%
94	13.455	3851	3861	3870	rBV	6990	12271	0.79%	0.106%
95	13.686	3927	3933	3941	rBV4	3763	4465	0.29%	0.039%



Sum of corrected areas: 11582038

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032824\
Data File : VV034881.D
Acq On : 28 Mar 2024 13:11
Operator : SY/MD
Sample : P1852-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOLY2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032824\
Data File : VV034881.D
Acq On : 28 Mar 2024 13:11
Operator : SY/MD
Sample : P1852-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0LY2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032824\
Data File : VV034881.D
Acq On : 28 Mar 2024 13:11
Operator : SY/MD
Sample : P1852-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0LY2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------