

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW040221\
 Data File : VW020894.D
 Acq On : 02 Apr 2021 22:14
 Operator : SY/MD
 Sample : M1879-02DL 10X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EW198DL

Quant Time: Apr 03 02:08:17 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 03 02:06:54 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.622	114	521151	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	508797	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.255	152	241999	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	142210	38.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	76.88%
7) Chloroethane-d5	1.571	69	121449	43.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.84%
11) 1,1-Dichloroethene-d2	2.108	63	233349	33.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.86%
21) 2-Butanone-d5	3.896	46	230219	95.64	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.64%
24) Chloroform-d	4.352	84	400104	54.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.80%
26) 1,2-Dichloroethane-d4	5.037	65	280356	57.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	115.74%
32) Benzene-d6	5.053	84	733159	54.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.12%
36) 1,2-Dichloropropane-d6	6.072	67	218826	52.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.12%
41) Toluene-d8	7.320	98	696265	55.15	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.30%
43) trans-1,3-Dichloroprop...	7.625	79	117227	52.92	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	105.84%
47) 2-Hexanone-d5	8.092	63	165993	95.09	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.09%
57) 1,1,2,2-Tetrachloroeth...	10.220	84	302233	49.83	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.66%
64) 1,2-Dichlorobenzene-d4	11.632	152	292366	62.25	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	124.50%#
Target Compounds						
					Qvalue	
5) Vinyl chloride	1.314	62	222694	55.93	ug/L	99
20) cis-1,2-Dichloroethene	3.915	96	415957	111.47	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040221\
Data File : VV020894.D
Acq On : 02 Apr 2021 22:14
Operator : SY/MD
Sample : M1879-02DL 10X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EW198DL

Quant Time: Apr 03 02:08:17 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 03 02:06:54 2021
Response via : Initial Calibration

