

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV040224\  
 Data File : VV034928.D  
 Acq On : 02 Apr 2024 13:10  
 Operator : SY/MD  
 Sample : P1925-06  
 Misc : 25.0mL/MSVOA\_V/WATER  
 ALS Vial : 11 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 TB(20240326)

Quant Time: Apr 03 05:19:37 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR040224WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Wed Apr 03 05:08:19 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 5.535  | 114   | 177067   | 5.000    | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 8.786  | 117   | 175721   | 5.000    | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.185 | 152   | 75831    | 5.000    | ug/L  | 0.00     |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 1.275  | 65    | 73241    | 5.019    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =     | 100.400% |
| 7) Chloroethane-d5            | 1.532  | 69    | 61055    | 5.075    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =     | 101.400% |
| 11) 1,1-Dichloroethene-d2     | 2.056  | 65    | 32841    | 4.955    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =     | 99.200%  |
| 20) 2-Butanone-d5             | 3.847  | 46    | 103270   | 45.230   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =     | 90.460%  |
| 24) Chloroform-d              | 4.249  | 84    | 113195   | 4.794    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 95.800%  |
| 26) 1,2-Dichloroethane-d4     | 4.944  | 65    | 56712    | 5.319    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 106.400% |
| 32) Benzene-d6                | 4.960  | 84    | 231415   | 5.034    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 100.600% |
| 36) 1,2-Dichloropropane-d6    | 5.989  | 67    | 72613    | 5.382    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =     | 107.600% |
| 41) Toluene-d8                | 7.243  | 98    | 197825   | 4.738    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 94.800%  |
| 43) trans-1,3-Dichloroprop... | 7.561  | 79    | 22608    | 4.717    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =     | 94.400%  |
| 46) 2-Hexanone-d5             | 8.034  | 63    | 81287    | 49.419   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =     | 98.840%  |
| 56) 1,1,2,2-Tetrachloroeth... | 10.156 | 84    | 48680    | 5.171    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =     | 103.400% |
| 66) 1,2-Dichlorobenzene-d4    | 11.561 | 152   | 65680    | 5.499    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =     | 110.000% |
| Target Compounds              |        |       |          |          |       |          |
| 16) Methylene chloride        | 2.445  | 84    | 8038     | 0.545    | ug/L  | 90       |
| -----                         |        |       |          |          |       |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV040224\  
Data File : VV034928.D  
Acq On : 02 Apr 2024 13:10  
Operator : SY/MD  
Sample : P1925-06  
Misc : 25.0mL/MSVOA\_V/WATER  
ALS Vial : 11 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
TB(20240326)

Quant Time: Apr 03 05:19:37 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR040224WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Wed Apr 03 05:08:19 2024  
Response via : Initial Calibration

