

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW040424\
 Data File : VW034967.D
 Acq On : 04 Apr 2024 10:47
 Operator : SY/MD
 Sample : PB159941TB 10X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VLEB941

Quant Time: Apr 04 21:34:43 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 04 21:33:57 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	417634	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	420602	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	180299	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	158702	39.348	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	78.700%	
7) Chloroethane-d5	1.535	69	144718	41.310	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	82.620%	
11) 1,1-Dichloroethene-d2	2.060	65	74246	41.994	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	83.980%	
21) 2-Butanone-d5	3.796	46	175846	73.512	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	73.510%	
24) Chloroform-d	4.246	84	293396	43.265	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	86.540%	
26) 1,2-Dichloroethane-d4	4.937	65	190094	44.152	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	88.300%	
32) Benzene-d6	4.957	84	595095	42.121	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	84.240%	
36) 1,2-Dichloropropane-d6	5.985	67	194150	43.275	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	86.560%	
41) Toluene-d8	7.239	98	526607	41.388	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	82.780%	
43) trans-1,3-Dichloroprop...	7.551	79	81289	37.271	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	74.540%	
47) 2-Hexanone-d5	8.024	63	102797	60.603	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	60.600%	
56) 1,1,2,2-Tetrachloroeth...	10.149	84	240586	38.942	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	77.880%	
66) 1,2-Dichlorobenzene-d4	11.558	152	186068	45.964	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	91.920%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040424\
Data File : VV034967.D
Acq On : 04 Apr 2024 10:47
Operator : SY/MD
Sample : PB159941TB 10X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VLEB941

Quant Time: Apr 04 21:34:43 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 04 21:33:57 2024
Response via : Initial Calibration

