

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW040424\
 Data File : VW034986.D
 Acq On : 04 Apr 2024 18:21
 Operator : SY/MD
 Sample : P1987-10
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 MCORG8

Quant Time: Apr 04 21:38:54 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 04 21:33:57 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	355711	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	342842	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	147487	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	125751	36.606	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	73.220%		
7) Chloroethane-d5	1.532	69	133468	44.731	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	89.460%		
11) 1,1-Dichloroethene-d2	2.060	65	60075	39.894	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	79.780%		
21) 2-Butanone-d5	3.793	46	180542	88.614	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	88.610%		
24) Chloroform-d	4.249	84	252547	43.725	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	87.440%		
26) 1,2-Dichloroethane-d4	4.940	65	164632	44.895	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	89.800%		
32) Benzene-d6	4.957	84	501661	43.561	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	87.120%		
36) 1,2-Dichloropropane-d6	5.989	67	166444	45.514	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	91.020%		
41) Toluene-d8	7.243	98	422380	40.726	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	81.460%		
43) trans-1,3-Dichloroprop...	7.555	79	68908	38.760	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	77.520%		
47) 2-Hexanone-d5	8.027	63	103131	74.590	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	74.590%		
56) 1,1,2,2-Tetrachloroeth...	10.152	84	224618	44.603	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	89.200%		
66) 1,2-Dichlorobenzene-d4	11.561	152	154133	46.546	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	93.100%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040424\
Data File : VV034986.D
Acq On : 04 Apr 2024 18:21
Operator : SY/MD
Sample : P1987-10
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
MC0RG8

Quant Time: Apr 04 21:38:54 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 04 21:33:57 2024
Response via : Initial Calibration

