

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV041119\
 Data File : VV010256.D
 Acq On : 11 Apr 2019 22:26
 Operator : SY/MD
 Sample : VV0411SBL02
 Misc : 5.00G/10mL/MSVOA_V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK67

Quant Time: Apr 12 04:53:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM041019S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 12 04:45:26 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	270980	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	269098	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	128148	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	71147	22.81	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.24%
7) Chloroethane-d5	1.56	69	69634	25.98	ug/L	-0.01
Spiked Amount	25.000	Range	30 - 150	Recovery	=	103.92%
10) 1,1-Dichloroethene-d2	2.12	63	138928	17.50	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.00%
20) 2-Butanone-d5	3.93	46	44501	56.37	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	112.74%
24) Chloroform-d	4.40	84	141088	22.80	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.20%
26) 1,2-Dichloroethane-d4	5.08	65	88329	25.06	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.24%
29) Benzene-d6	5.10	84	321570	24.78	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.12%
33) 1,2-Dichloropropane-d6	6.12	67	93422	24.21	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.84%
37) Toluene-d8	7.36	98	309195	24.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.76%
38) trans-1,3-Dichloropropene-	7.66	79	39774	24.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	98.88%
39) 2-Hexanone-d5	8.13	63	35812	53.72	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	107.44%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	86760	25.05	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.20%
61) 1,2-Dichlorobenzene-d4	11.67	152	119067	25.16	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.64%


Target Compounds					Qvalue
16) Methylene chloride	2.53	84	8025	1.512 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV041119\
Data File : VV010256.D
Acq On : 11 Apr 2019 22:26
Operator : SY/MD
Sample : VV0411SBL02
Misc : 5.00G/10mL/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK67

Quant Time: Apr 12 04:53:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM041019S.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 12 04:45:26 2019
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.512 ug/L
RT: 2.53 min Scan# 449
Delta R.T. -0.00 min
Lab File: VV010256.D
Acq: 11 Apr 2019 22:26

Instrument :
MSVOA_V
ClientSampleId :
VBLK67

Tgt Ion:	84	Resp:	8025
Ion	Ratio	Lower	Upper
84	100		
49	116.1	79.9	148.5
86	63.9	44.5	82.7

