

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW041924\
 Data File : VW035319.D
 Acq On : 19 Apr 2024 19:34
 Operator : SY/MD
 Sample : P2182-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 MC0R89

Quant Time: Apr 19 22:34:16 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 19 22:28:16 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	391612	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	397174	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	178085	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	116977	30.930	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	61.860%	
7) Chloroethane-d5	1.532	69	108923	33.158	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	66.320%#	
11) 1,1-Dichloroethene-d2	2.060	65	53599	32.330	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	64.660%	
21) 2-Butanone-d5	3.789	46	204185	91.031	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	91.030%	
24) Chloroform-d	4.246	84	274086	43.104	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	86.200%	
26) 1,2-Dichloroethane-d4	4.941	65	176462	43.710	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	87.420%	
32) Benzene-d6	4.957	84	519234	38.919	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	77.840%	
36) 1,2-Dichloropropane-d6	5.985	67	179100	42.275	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	84.560%	
41) Toluene-d8	7.243	98	435997	36.288	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	72.580%#	
43) trans-1,3-Dichloroprop...	7.551	79	73883	35.873	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	71.740%	
47) 2-Hexanone-d5	8.024	63	119002	74.295	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	74.290%	
56) 1,1,2,2-Tetrachloroeth...	10.149	84	267372	45.830	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	91.660%	
66) 1,2-Dichlorobenzene-d4	11.558	152	190223	47.575	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	95.140%	
Target Compounds					Qvalue	
13) Acetone	2.124	43	8176	3.970	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041924\
Data File : VV035319.D
Acq On : 19 Apr 2024 19:34
Operator : SY/MD
Sample : P2182-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
MC0R89

Quant Time: Apr 19 22:34:16 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 19 22:28:16 2024
Response via : Initial Calibration

