

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV042219\
 Data File : VV010439.D
 Acq On : 23 Apr 2019 06:23
 Operator : SY/MD
 Sample : K2481-03
 Misc : 5.10G/10mL/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GAHT8

Quant Time: Apr 23 08:18:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM042219S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 23 07:55:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	309940	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	242273	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	83850	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	62650	14.67	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	58.68%
7) Chloroethane-d5	1.56	69	56227	16.93	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	67.72%
10) 1,1-Dichloroethene-d2	2.12	63	117819	14.78	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	59.12%
20) 2-Butanone-d5	3.92	46	50916	50.99	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.98%
24) Chloroform-d	4.40	84	154359	20.38	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	81.52%
26) 1,2-Dichloroethane-d4	5.07	65	99141	21.34	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	85.36%
29) Benzene-d6	5.09	84	293830	26.27	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	105.08%
33) 1,2-Dichloropropane-d6	6.11	67	96636	29.29	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	117.16%
37) Toluene-d8	7.36	98	251286	21.81	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.24%
38) trans-1,3-Dichloropropene-	7.66	79	32785	20.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.72%
39) 2-Hexanone-d5	8.13	63	31453	47.99	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.98%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	75264	23.41	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.64%
61) 1,2-Dichlorobenzene-d4	11.67	152	69287	21.74	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	86.96%

Target Compounds

					Ovalue
13) Acetone	2.18	43	7355	6.873 ug/L	100
14) Carbon disulfide	2.31	76	27348	3.135 ug/L	96
16) Methylene chloride	2.53	84	8403	1.849 ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV042219\
Data File : VV010439.D
Acq On : 23 Apr 2019 06:23
Operator : SY/MD
Sample : K2481-03
Misc : 5.10G/10mL/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GAHT8

Quant Time: Apr 23 08:18:14 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM042219S.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 23 07:55:10 2019
Response via : Initial Calibration

