

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV042219\
Quantitation Report (QT Reviewed)


Data File : VV010445.D
Acq On : 23 Apr 2019 09:33
Operator : SY/MD
Sample : K2481-12
Misc : 5.00G/10mL/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GAHW5

Manual Integrations
APPROVED

MMDadoda
4/25/2019 9:20:44 AM

Quant Time: Apr 24 02:28:59 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM042219S.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 24 02:09:39 2019
Response via : Initial Calibration



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV042219\
Quantitation Report (Qedit)




Data File : VV010445.D
Acq On : 23 Apr 2019 09:33
Operator : SY/MD
Sample : K2481-12
Misc : 5.00G/10mL/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GAHW5

Manual Integrations
APPROVED

MMDadoda
4/25/2019 9:20:44 AM

Quant Time: Apr 24 02:13:13 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM042219S.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 24 02:09:39 2019
Response via : Initial Calibration



TIC: VV010445.D

(20) 2-Butanone-d5 (S)

4.058min (+0.128) 2.94ug/L

response 172

Ion	Exp%	Act%
46.00	100	100
77.00	23.90	27.33
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV042219\
Quantitation Report (Qedit)




Data File : VV010445.D
Acq On : 23 Apr 2019 09:33
Operator : SY/MD
Sample : K2481-12
Misc : 5.00G/10mL/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GAHW5

Manual Integrations
APPROVED

MMDadoda
4/25/2019 9:20:44 AM

Quant Time: Apr 24 02:13:13 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM042219S.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 24 02:09:39 2019
Response via : Initial Calibration



TIC: VV010445.D

(20) 2-Butanone-d5 (S)

3.955min (+0.026) 58.40ug/L m

response 3421

Ion	Exp%	Act%
46.00	100	100
77.00	23.90	1.37#
0.00	0.00	0.00
0.00	0.00	0.00

04/25/19 SY

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV042219\
Quantitation Report (Qedit)




Data File : VV010445.D
Acq On : 23 Apr 2019 09:33
Operator : SY/MD
Sample : K2481-12
Misc : 5.00G/10mL/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GAHW5

Manual Integrations
APPROVED

MMDadoda
4/25/2019 9:20:44 AM

Quant Time: Apr 24 02:13:13 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM042219S.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 24 02:09:39 2019
Response via : Initial Calibration



TIC: VV010445.D

(39) 2-Hexanone-d5 (S)

8.154min (+0.022) 38.56ug/L

response 1643

Ion	Exp%	Act%
63.00	100	100
46.00	176.60	138.10
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV042219\
Quantitation Report (Qedit)




Data File : VV010445.D
Acq On : 23 Apr 2019 09:33
Operator : SY/MD
Sample : K2481-12
Misc : 5.00G/10mL/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GAHW5

Manual Integrations
APPROVED

MMDadoda
4/25/2019 9:20:44 AM

Quant Time: Apr 24 02:13:13 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM042219S.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 24 02:09:39 2019
Response via : Initial Calibration



TIC: VV010445.D

(39) 2-Hexanone-d5 (S)

8.154min (+0.022) 59.66ug/L m

response 2542

Ion	Exp%	Act%
63.00	100	100
46.00	176.60	89.26#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV042219\

Quantitation Report (QT Reviewed)

Data File : VV010445.D

Acq On : 23 Apr 2019 09:33

Operator : SY/MD

Sample : K2481-12

Misc : 5.00G/10mL/MSVOA_V/SOIL

ALS Vial : 1 Sample Multiplier: 1

Instrument :

MSVOA_V

ClientSampleId :

GAHW5

Manual Integrations

APPROVED

MMDadoda

4/25/2019 9:20:44 AM

Quant Time: Apr 24 02:28:59 2019

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM042219S.M

Quant Title : VOC Analysis

QLast Update : Wed Apr 24 02:09:39 2019

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	18185	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	15750	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	5065	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	2397	9.57	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	38.28%
7) Chloroethane-d5	1.58	69	3453	17.72	ug/L	0.01
Spiked Amount	25.000	Range	30 - 150	Recovery	=	70.88%
10) 1,1-Dichloroethene-d2	2.13	63	4093	8.75	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	35.00%#
20) 2-Butanone-d5	3.96	46	3421m	58.40	ug/L	0.03
Spiked Amount	50.000	Range	20 - 135	Recovery	=	116.80%
24) Chloroform-d	4.40	84	11563	26.02	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	104.08%
26) 1,2-Dichloroethane-d4	5.08	65	8001	29.35	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	117.40%
29) Benzene-d6	5.10	84	17874	24.58	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.32%
33) 1,2-Dichloropropane-d6	6.12	67	6972	32.51	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	130.04%#
37) Toluene-d8	7.37	98	15020	20.05	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.20%
38) trans-1,3-Dichloropropene-	7.67	79	2351	22.26	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.04%
39) 2-Hexanone-d5	8.15	63	2542m	59.66	ug/L	0.02
Spiked Amount	50.000	Range	20 - 135	Recovery	=	119.32%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	7053	33.75	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	135.00%#
61) 1,2-Dichlorobenzene-d4	11.68	152	5003	25.99	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.96%

04/28/19 Sy

04/28/19 Sy

Target Compounds

Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed