

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV050124\
 Data File : VV035500.D
 Acq On : 01 May 2024 16:41
 Operator : SY/MD
 Sample : P2321-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E1D05

Quant Time: May 02 01:28:52 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050124WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu May 02 01:07:15 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	404819	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	403860	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	176370	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.275	65	140701	45.077	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	90.160%		
7) Chloroethane-d5	1.529	69	120211	52.260	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	104.520%		
11) 1,1-Dichloroethene-d2	2.057	65	60856	45.418	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	90.840%		
21) 2-Butanone-d5	3.793	46	198542	94.247	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	94.250%		
24) Chloroform-d	4.246	84	267813	46.776	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.560%		
26) 1,2-Dichloroethane-d4	4.941	65	165398	49.054	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	98.100%		
32) Benzene-d6	4.957	84	531106	46.721	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.440%		
36) 1,2-Dichloropropane-d6	5.986	67	169212	47.741	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	95.480%		
41) Toluene-d8	7.243	98	453302	43.809	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	87.620%		
43) trans-1,3-Dichloroprop...	7.555	79	73458	42.523	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	85.040%		
47) 2-Hexanone-d5	8.024	63	145448	89.298	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	89.300%		
56) 1,1,2,2-Tetrachloroeth...	10.149	84	244485	45.267	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	90.540%		
66) 1,2-Dichlorobenzene-d4	11.558	152	177087	50.538	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	101.080%		
Target Compounds						Qvalue
15) Methyl Acetate	2.381	43	22161	7.005	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV050124\
Data File : VV035500.D
Acq On : 01 May 2024 16:41
Operator : SY/MD
Sample : P2321-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E1D05

Quant Time: May 02 01:28:52 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050124WMA.M
Quant Title : VOC Analysis
QLast Update : Thu May 02 01:07:15 2024
Response via : Initial Calibration

