

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV050124\
 Data File : VV035497.D
 Acq On : 01 May 2024 15:32
 Operator : SY/MD
 Sample : P2279-16
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 CORR9

Quant Time: May 02 01:28:14 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050124WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu May 02 01:07:15 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	505416	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	489457	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	209689	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.275	65	173685	44.569	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.140%
7) Chloroethane-d5	1.529	69	136268	47.450	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.900%
11) 1,1-Dichloroethene-d2	2.056	65	73991	44.230	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.460%
21) 2-Butanone-d5	3.793	46	241962	91.997	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	92.000%
24) Chloroform-d	4.246	84	328536	45.961	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.920%
26) 1,2-Dichloroethane-d4	4.937	65	200643	47.663	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.320%
32) Benzene-d6	4.957	84	649547	47.147	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.300%
36) 1,2-Dichloropropane-d6	5.985	67	208491	48.536	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.080%
41) Toluene-d8	7.243	98	565555	45.099	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.200%
43) trans-1,3-Dichloroprop...	7.551	79	93462	44.641	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.280%
47) 2-Hexanone-d5	8.024	63	182288	92.344	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.340%
56) 1,1,2,2-Tetrachloroeth...	10.149	84	290416	44.368	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.740%
66) 1,2-Dichlorobenzene-d4	11.558	152	213665	51.287	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.580%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV050124\
Data File : VV035497.D
Acq On : 01 May 2024 15:32
Operator : SY/MD
Sample : P2279-16
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
CORR9

Quant Time: May 02 01:28:14 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050124WMA.M
Quant Title : VOC Analysis
QLast Update : Thu May 02 01:07:15 2024
Response via : Initial Calibration

