

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050919\
 Data File : VV010828.D
 Acq On : 10 May 2019 23:00
 Operator : SY/MD
 Sample : K2692-14
 Misc : 5.85G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A5177

Quant Time: May 11 00:39:23 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
 Quant Title : VOC Analysis
 QLast Update : Sat May 11 00:23:03 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	82721	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	81655	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	30832	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	23307	18.14	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.56%
7) Chloroethane-d5	1.56	69	23875	22.58	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.32%
10) 1,1-Dichloroethene-d2	2.11	63	41093	14.74	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	58.96%
20) 2-Butanone-d5	3.92	46	31831	82.55	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	165.10%#
24) Chloroform-d	4.39	84	55618	24.66	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.64%
26) 1,2-Dichloroethane-d4	5.07	65	39975	28.38	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	113.52%
29) Benzene-d6	5.09	84	101086	23.52	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.08%
33) 1,2-Dichloropropane-d6	6.11	67	35551	25.96	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	103.84%
37) Toluene-d8	7.36	98	81899	19.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	79.60%
38) trans-1,3-Dichloropropene-	7.66	79	14813	23.73	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	94.92%
39) 2-Hexanone-d5	8.13	63	22318	77.88	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	155.76%#
48) 1,1,2,2-Tetrachloroethane-	10.26	84	40653	31.59	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	126.36%#
61) 1,2-Dichlorobenzene-d4	11.67	152	31229	26.15	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.60%

Target Compounds

					Ovalue
13) Acetone	2.18	43	2322	3.889 ug/L	95
14) Carbon disulfide	2.30	76	5186	1.620 ug/L	96
18) trans-1,2-Dichloroethene	2.78	96	7565	6.426 ug/L	98
22) cis-1,2-Dichloroethene	3.95	96	190192	141.435 ug/L	97
35) Trichloroethene	5.96	95	50737	37.787 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV050919\
Data File : VV010828.D
Acq On : 10 May 2019 23:00
Operator : SY/MD
Sample : K2692-14
Misc : 5.85G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A5177

Quant Time: May 11 00:39:23 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
Quant Title : VOC Analysis
QLast Update : Sat May 11 00:23:03 2019
Response via : Initial Calibration

