

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050919\
 Data File : VV010812.D
 Acq On : 10 May 2019 13:45
 Operator : SY/MD
 Sample : K2693-03RE
 Misc : 4.22G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFH63RE

Quant Time: May 10 23:49:29 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 10 22:59:03 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	71065	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	62030	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	17668	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	24712	22.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.52%
7) Chloroethane-d5	1.58	69	24085	26.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	106.04%
10) 1,1-Dichloroethene-d2	2.13	63	39101	16.33	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.32%
20) 2-Butanone-d5	3.94	46	13023	39.31	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.62%
24) Chloroform-d	4.40	84	46723	24.12	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.48%
26) 1,2-Dichloroethane-d4	5.08	65	29676	24.53	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.12%
29) Benzene-d6	5.10	84	88807	27.20	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	108.80%
33) 1,2-Dichloropropane-d6	6.12	67	30488	29.31	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	117.24%
37) Toluene-d8	7.36	98	72808	23.29	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.16%
38) trans-1,3-Dichloropropene-	7.66	79	9831	20.73	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.92%
39) 2-Hexanone-d5	8.13	63	8716	40.04	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.08%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	19601	20.05	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	80.20%
61) 1,2-Dichlorobenzene-d4	11.67	152	16021	23.41	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.64%


Target Compounds					Ovalue
13) Acetone	2.19	43	1495	2.915 ug/L	91
16) Methylene chloride	2.54	84	4187	3.810 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV050919\
Data File : VV010812.D
Acq On : 10 May 2019 13:45
Operator : SY/MD
Sample : K2693-03RE
Misc : 4.22G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFH63RE

Quant Time: May 10 23:49:29 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
Quant Title : VOC Analysis
QLast Update : Fri May 10 22:59:03 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.915 ug/L

RT: 2.19 min Scan# 342

Delta R.T. 0.00 min

Lab File: VV010812.D

Acq: 10 May 2019 13:45

Instrument :

MSVOA_V

ClientSampleId :


BFH63RE

Tot Ion: 43 Resp: 1495

Ion Ratio Lower Upper

43 100

58 36.8 0.0 63.4



Abundance Ion 43.00 (42.70 to 43.70): VV010812.D (-342) (-)

Ion 58.00 (57.70 to 58.70): VV010812.D (-342) (-)

2.19

800



600

400

200

0

Time-->



#16

Methylene chloride

Concen: 3.810 ug/L

RT: 2.54 min Scan# 450

Delta R.T. 0.00 min

Lab File: VV010812.D

Acq: 10 May 2019 13:45


Tgt Ion: 84 Resp: 4187

Ion Ratio Lower Upper

84 100

49 120.2 92.9 172.5

86 57.3 46.5 86.5



Abundance Ion 84.00 (83.70 to 84.70): VV010812.D (-346) (-)

Ion 49.00 (48.70 to 49.70): VV010812.D (-346) (-)

Ion 86.00 (85.70 to 86.70): VV010812.D (-346) (-)

2.54

4000

3000

2000

1000

0

Time-->

