

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050919\
 Data File : VV010832.D
 Acq On : 11 May 2019 00:51
 Operator : SY/MD
 Sample : K2692-18
 Misc : 5.20G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A5181

Quant Time: May 11 05:31:42 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
 Quant Title : VOC Analysis
 QLast Update : Sat May 11 00:23:03 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	81609	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	77789	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	24716	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	24347	19.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.80%
7) Chloroethane-d5	1.56	69	25639	24.58	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.32%
10) 1,1-Dichloroethene-d2	2.12	63	42595	15.49	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.96%
20) 2-Butanone-d5	3.92	46	24026	63.15	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	126.30%
24) Chloroform-d	4.39	84	61854	27.80	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	111.20%
26) 1,2-Dichloroethane-d4	5.08	65	42280	30.43	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	121.72%
29) Benzene-d6	5.09	84	108827	26.58	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	106.32%
33) 1,2-Dichloropropane-d6	6.11	67	38866	29.79	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	119.16%
37) Toluene-d8	7.36	98	88608	22.60	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.40%
38) trans-1,3-Dichloropropene-	7.66	79	14213	23.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	95.60%
39) 2-Hexanone-d5	8.13	63	16689	61.13	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	122.26%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	33942	27.68	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	110.72%
61) 1,2-Dichlorobenzene-d4	11.67	152	24241	25.32	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.28%


Target Compounds					Ovalue
13) Acetone	2.18	43	4433	7.527 ug/L	96
35) Trichloroethene	5.96	95	2439	1.907 ug/L	91
47) Tetrachloroethene	8.02	164	774	0.836 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV050919\
Data File : VV010832.D
Acq On : 11 May 2019 00:51
Operator : SY/MD
Sample : K2692-18
Misc : 5.20G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A5181

Quant Time: May 11 05:31:42 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
Quant Title : VOC Analysis
QLast Update : Sat May 11 00:23:03 2019
Response via : Initial Calibration





#13

Acetone

Concen: 7.527 ug/L

RT: 2.18 min Scan# 340

Delta R.T. -0.01 min

Lab File: VV010832.D

Acq: 11 May 2019 00:51

Instrument :

MSVOA_V

ClientSampled :


A5181

Tot Ion: 43 Resp: 4433

Ion Ratio Lower Upper




43 100

58 29.3 0.0 63.4



Abundance Ion 43.00 (42.70 to 43.70): VV010832.D (-239) (-)

Ion 58.00 (57.70 to 58.70): VV010832.D (-239) (-)



#35

Trichloroethene

Concen: 1.907 ug/L

RT: 5.96 min Scan# 1513

Delta R.T. -0.00 min

Lab File: VV010832.D

Acq: 11 May 2019 00:51

Tgt Ion: 95 Resp: 2439


Ion Ratio Lower Upper

95 100

97 73.6 44.3 82.3

132 92.3 62.4 115.8

130 87.2 68.5 127.3






Abundance Ion 95.00 (94.70 to 95.70): VV010832.D (-1411) (-)

Ion 97.00 (96.70 to 97.70): VV010832.D (-1411) (-)

Ion 132.00 (131.70 to 132.70): VV010832.D (-1411) (-)

Ion 130.00 (129.70 to 130.70): VV010832.D (-1411) (-)





#47

Tetrachloroethene

Concen: 0.836 ug/L

RT: 8.02 min Scan# 2155

Delta R.T. 0.00 min

Lab File: VV010832.D


Acq: 11 May 2019 00:51

Instrument :

MSVOA_V

ClientSampleId :

A5181



Tot Ion:164 Resp: 774

Ion Ratio Lower Upper

164 100

129 110.5 69.3 128.7

131 93.0 67.3 125.1

166 118.4 81.1 150.7

Abundance Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

