

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VW051623\  
 Data File : VW031052.D  
 Acq On : 16 May 2023 14:54  
 Operator : SY/MD  
 Sample : 02768-10  
 Misc : 25.0mL/MSVOA\_V/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 CONN7

Quant Time: May 17 01:44:20 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR042823WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Wed May 17 01:41:23 2023  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 5.542  | 114   | 118475   | 5.000    | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 8.792  | 117   | 116516   | 5.000    | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.194 | 152   | 59360    | 5.000    | ug/L  | 0.00     |
|                               |        |       |          |          |       |          |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 1.282  | 65    | 36591    | 3.749    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =     | 75.000%  |
| 7) Chloroethane-d5            | 1.536  | 69    | 35193    | 4.420    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =     | 88.400%  |
| 11) 1,1-Dichloroethene-d2     | 2.063  | 65    | 20248    | 3.920    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =     | 78.400%  |
| 20) 2-Butanone-d5             | 3.825  | 46    | 81901    | 47.316   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =     | 94.640%  |
| 24) Chloroform-d              | 4.262  | 84    | 91936    | 4.739    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 94.800%  |
| 26) 1,2-Dichloroethane-d4     | 4.957  | 65    | 48438    | 4.912    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 98.200%  |
| 32) Benzene-d6                | 4.969  | 84    | 154699   | 4.530    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 90.600%  |
| 36) 1,2-Dichloropropane-d6    | 5.998  | 67    | 45216    | 4.553    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =     | 91.000%  |
| 41) Toluene-d8                | 7.252  | 98    | 129779   | 3.990    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 79.800%  |
| 43) trans-1,3-Dichloroprop... | 7.564  | 79    | 14986    | 4.026    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =     | 80.600%  |
| 46) 2-Hexanone-d5             | 8.037  | 63    | 57401    | 44.010   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =     | 88.020%  |
| 56) 1,1,2,2-Tetrachloroeth... | 10.159 | 84    | 34512    | 4.794    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =     | 95.800%  |
| 66) 1,2-Dichlorobenzene-d4    | 11.567 | 152   | 51220    | 4.629    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =     | 92.600%  |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV051623\  
Data File : VV031052.D  
Acq On : 16 May 2023 14:54  
Operator : SY/MD  
Sample : 02768-10  
Misc : 25.0mL/MSVOA\_V/WATER  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
CONN7

Quant Time: May 17 01:44:20 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR042823WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Wed May 17 01:41:23 2023  
Response via : Initial Calibration

