

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV052019\
 Data File : VV010965.D
 Acq On : 20 May 2019 18:38
 Operator : SY/MD
 Sample : K2846-06
 Misc : 4.40G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFHB5

Quant Time: May 21 04:49:46 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM052019S.M
 Quant Title : VOC Analysis
 QLast Update : Tue May 21 04:03:21 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	132708	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	130324	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	54300	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	25155	16.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.52%
7) Chloroethane-d5	1.57	69	20232	19.75	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.00%
10) 1,1-Dichloroethene-d2	2.12	63	39034	13.42	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	53.68%
20) 2-Butanone-d5	3.94	46	21656	41.48	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.96%
24) Chloroform-d	4.40	84	67806	19.72	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	78.88%
26) 1,2-Dichloroethane-d4	5.08	65	42031	20.75	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	83.00%
29) Benzene-d6	5.10	84	146357	20.57	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	82.28%
33) 1,2-Dichloropropane-d6	6.12	67	49668	21.97	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.88%
37) Toluene-d8	7.36	98	128570	19.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	77.76%
38) trans-1,3-Dichloropropene-	7.66	79	16968	18.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	73.12%
39) 2-Hexanone-d5	8.13	63	17565	41.66	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.32%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	42190	18.69	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	74.76%
61) 1,2-Dichlorobenzene-d4	11.67	152	47183	21.40	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	85.60%

Target Compounds

					Ovalue
13) Acetone	2.19	43	3741	7.431 ug/L	99
14) Carbon disulfide	2.31	76	7703	1.964 ug/L	99
16) Methylene chloride	2.53	84	4642	2.038 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV052019\
Data File : VV010965.D
Acq On : 20 May 2019 18:38
Operator : SY/MD
Sample : K2846-06
Misc : 4.40G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFHB5

Quant Time: May 21 04:49:46 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM052019S.M
Quant Title : VOC Analysis
QLast Update : Tue May 21 04:03:21 2019
Response via : Initial Calibration

