

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV052019\
 Data File : VV010970.D
 Acq On : 20 May 2019 20:58
 Operator : SY/MD
 Sample : K2846-11
 Misc : 3.46G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFHB0

Quant Time: May 21 05:08:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM052019S.M
 Quant Title : VOC Analysis
 QLast Update : Tue May 21 04:03:21 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	117888	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	113163	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	41042	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	17483	13.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	52.04%
7) Chloroethane-d5	1.56	69	13728	15.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	60.36%
10) 1,1-Dichloroethene-d2	2.12	63	26280	10.17	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	40.68%#
20) 2-Butanone-d5	3.94	46	22370	48.24	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.48%
24) Chloroform-d	4.40	84	51024	16.71	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	66.84%
26) 1,2-Dichloroethane-d4	5.08	65	34025	18.91	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	75.64%
29) Benzene-d6	5.10	84	107516	17.40	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	69.60%
33) 1,2-Dichloropropane-d6	6.12	67	37632	19.17	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	76.68%
37) Toluene-d8	7.36	98	86911	15.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	60.52%
38) trans-1,3-Dichloropropene-	7.66	79	11537	14.31	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	57.24%
39) 2-Hexanone-d5	8.13	63	16821	45.94	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.88%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	37549	19.16	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	76.64%
61) 1,2-Dichlorobenzene-d4	11.67	152	31438	18.87	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	75.48%

Target Compounds					Ovalue
13) Acetone	2.19	43	2116	4.732 ug/L	94
14) Carbon disulfide	2.31	76	4828	1.386 ug/L	96
16) Methylene chloride	2.53	84	5140	2.541 ug/L	84

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV052019\
Data File : VV010970.D
Acq On : 20 May 2019 20:58
Operator : SY/MD
Sample : K2846-11
Misc : 3.46G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFHB0

Quant Time: May 21 05:08:57 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM052019S.M
Quant Title : VOC Analysis
QLast Update : Tue May 21 04:03:21 2019
Response via : Initial Calibration

