

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV052019\
 Data File : VV010991.D
 Acq On : 21 May 2019 09:35
 Operator : SY/MD
 Sample : K2846-09
 Misc : 5.41G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFH90

Quant Time: May 22 05:36:16 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM052019S.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 22 05:24:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	151407	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	141976	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	51515	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	33172	19.22	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.88%
7) Chloroethane-d5	1.57	69	25297	21.65	ug/L	0.02
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.60%
10) 1,1-Dichloroethene-d2	2.12	63	49713	14.98	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	59.92%
20) 2-Butanone-d5	3.93	46	20231	33.97	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	67.94%
24) Chloroform-d	4.40	84	69479	17.71	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	70.84%
26) 1,2-Dichloroethane-d4	5.08	65	43936	19.01	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	76.04%
29) Benzene-d6	5.09	84	171900	22.18	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.72%
33) 1,2-Dichloropropane-d6	6.11	67	55132	22.38	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	89.52%
37) Toluene-d8	7.36	98	150349	20.87	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	83.48%
38) trans-1,3-Dichloropropene-	7.66	79	17316	17.12	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	68.48%
39) 2-Hexanone-d5	8.13	63	15323	33.36	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	66.72%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	40154	16.33	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	65.32%
61) 1,2-Dichlorobenzene-d4	11.67	152	43852	20.97	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	83.88%

Target Compounds					Ovalue
13) Acetone	2.19	43	4353	7.579 ug/L	88
14) Carbon disulfide	2.31	76	8219	1.837 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV052019\
Data File : VV010991.D
Acq On : 21 May 2019 09:35
Operator : SY/MD
Sample : K2846-09
Misc : 5.41G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFH90

Quant Time: May 22 05:36:16 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM052019S.M
Quant Title : VOC Analysis
QLast Update : Wed May 22 05:24:10 2019
Response via : Initial Calibration

