

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW052524\
 Data File : VW035801.D
 Acq On : 25 May 2024 16:50
 Operator : SY/MD
 Sample : P2589-13
 Misc : 5.89g/10.0mL/MSVOA_V/SOIL/A
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BH6C7

Quant Time: May 27 01:46:13 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050624SMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon May 27 01:41:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	483935	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	486253	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	188490	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.275	65	156547	20.929	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.720%
7) Chloroethane-d5	1.529	69	126677	20.993	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.960%
11) 1,1-Dichloroethene-d2	2.053	65	68011	20.538	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	82.160%
21) 2-Butanone-d5	3.844	46	72326	34.073	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	68.140%
24) Chloroform-d	4.246	84	282083	19.607	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	78.440%
26) 1,2-Dichloroethane-d4	4.940	65	160402	22.552	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	90.200%
32) Benzene-d6	4.957	84	532018	19.988	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	79.960%
36) 1,2-Dichloropropane-d6	5.985	67	178141	21.687	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.760%
41) Toluene-d8	7.243	98	425703	17.970	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	71.880%
43) trans-1,3-Dichloroprop...	7.555	79	65291	18.585	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	74.360%
47) 2-Hexanone-d5	8.030	63	46020	31.156	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	62.320%
56) 1,1,2,2-Tetrachloroeth...	10.152	84	152018	19.205	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	76.840%
66) 1,2-Dichlorobenzene-d4	11.561	152	143263	21.901	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.600%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052524\
Data File : VV035801.D
Acq On : 25 May 2024 16:50
Operator : SY/MD
Sample : P2589-13
Misc : 5.89g/10.0mL/MSVOA_V/SOIL/A
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BH6C7

Quant Time: May 27 01:46:13 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050624SMA.M
Quant Title : VOC Analysis
QLast Update : Mon May 27 01:41:30 2024
Response via : Initial Calibration

