

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW052524\
 Data File : VW035825.D
 Acq On : 26 May 2024 02:25
 Operator : SY/MD
 Sample : P2586-19
 Misc : 5.27g/10.0mL/MSVOA_V/SOIL/A
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4C44

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/28/2024
 Supervised By :Mahesh Dadoda 05/28/2024

Quant Time: May 27 05:35:08 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050624SMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon May 27 05:15:54 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	544924	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	534313	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	207891	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.272	65	155647	18.480	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	73.920%		
7) Chloroethane-d5	1.526	69	132108	19.443	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	77.760%		
11) 1,1-Dichloroethene-d2	2.050	65	69471	18.631	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	74.520%		
21) 2-Butanone-d5	3.876	46	35325m	14.779	ug/L	0.04
Spiked Amount 50.000	Range 20 - 135		Recovery =	29.560%		
24) Chloroform-d	4.243	84	288480	17.807	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	71.240%		
26) 1,2-Dichloroethane-d4	4.937	65	164494	20.539	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	82.160%		
32) Benzene-d6	4.956	84	545020	18.634	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	74.520%		
36) 1,2-Dichloropropane-d6	5.985	67	183105	20.286	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	81.160%		
41) Toluene-d8	7.243	98	424961	16.325	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	65.320%		
43) trans-1,3-Dichloroprop...	7.554	79	52055	13.485	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	53.920%		
47) 2-Hexanone-d5	8.037	63	20700	12.754	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	25.500%		
56) 1,1,2,2-Tetrachloroeth...	10.152	84	144250	16.585	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	66.320%		
66) 1,2-Dichlorobenzene-d4	11.557	152	139134	19.285	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	77.120%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052524\
Data File : VV035825.D
Acq On : 26 May 2024 02:25
Operator : SY/MD
Sample : P2586-19
Misc : 5.27g/10.0mL/MSVOA_V/SOIL/A
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4C44

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/28/2024
Supervised By :Mahesh Dadoda 05/28/2024

Quant Time: May 27 05:35:08 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050624SMA.M
Quant Title : VOC Analysis
QLast Update : Mon May 27 05:15:54 2024
Response via : Initial Calibration

