




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV060424\
Data File : VV035970.D
Acq On : 04 Jun 2024 12:06
Operator : SY/MD
Sample : P2695-12
Misc : 5.20g/10.0mL/MSVOA_V/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 05 04:04:22 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 05 04:01:54 2024
Response via : Initial Calibration



TIC: VV035970.D\data.ms

(13) Acetone (T)




2.150min (-0.000) 3.78 ug/L

response 16030

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	12.10	88.48#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV060424\
Data File : VV035970.D
Acq On : 04 Jun 2024 12:06
Operator : SY/MD
Sample : P2695-12
Misc : 5.20g/10.0mL/MSVOA_V/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 05 04:04:22 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 05 04:01:54 2024
Response via : Initial Calibration



TIC: VV035970.D\data.ms

(13) Acetone (T)




2.150min (-0.000) 12.64 ug/L m

response 53605

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	12.10	26.46#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV060424\
Data File : VV035970.D
Acq On : 04 Jun 2024 12:06
Operator : SY/MD
Sample : P2695-12
Misc : 5.20g/10.0mL/MSVOA_V/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 05 04:04:22 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 05 04:01:54 2024
Response via : Initial Calibration






TIC: VV035970.D\data.ms

(21) 2-Butanone-d5 (S)**3.834min (-0.013) 25.45 ug/L****response 69275**

Ion	Exp%	Act%
46.00	100.00	100.00
77.00	11.90	9.13
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV060424\
Data File : VV035970.D
Acq On : 04 Jun 2024 12:06
Operator : SY/MD
Sample : P2695-12
Misc : 5.20g/10.0mL/MSVOA_V/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 05 04:04:22 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 05 04:01:54 2024
Response via : Initial Calibration



TIC: VV035970.D\data.ms

(21) 2-Butanone-d5 (S)**3.834min (-0.013) 33.17 ug/L m****response 90278**

Ion	Exp%	Act%
46.00	100.00	100.00
77.00	11.90	7.01#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV060424\
 Data File : VV035970.D
 Acq On : 04 Jun 2024 12:06
 Operator : SY/MD
 Sample : P2695-12
 Misc : 5.20g/10.0mL/MSVOA_V/SOIL/A
 ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 05 04:04:22 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 05 04:01:54 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	645287	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	573325	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.181	152	191333	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.272	65	191181	16.115	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	64.440%	
7) Chloroethane-d5	1.526	69	170700	18.045	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	72.200%	
11) 1,1-Dichloroethene-d2	2.050	65	88622	16.780	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	67.120%	
21) 2-Butanone-d5	3.834	46	90278m	33.167	ug/L	-0.01
Spiked Amount 50.000	Range 20	- 135	Recovery	=	66.340%	
24) Chloroform-d	4.240	84	395458	19.276	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	77.120%	
26) 1,2-Dichloroethane-d4	4.937	65	196728	18.290	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	73.160%	
32) Benzene-d6	4.953	84	718953	21.096	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	84.400%	
36) 1,2-Dichloropropane-d6	5.982	67	242821	22.626	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	90.520%	
41) Toluene-d8	7.239	98	555571	18.476	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	73.920%	
43) trans-1,3-Dichloroprop...	7.551	79	81347	18.486	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	73.960%	
47) 2-Hexanone-d5	8.030	63	51084	35.132	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	70.260%	
56) 1,1,2,2-Tetrachloroeth...	10.149	84	161261	20.108	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	80.440%	
66) 1,2-Dichlorobenzene-d4	11.558	152	151380	21.575	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	86.320%	
Target Compounds						
13) Acetone	2.150	43	53605m	12.643	ug/L	
14) Carbon disulfide	2.230	76	60855	1.696	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV060424\
Data File : VV035970.D
Acq On : 04 Jun 2024 12:06
Operator : SY/MD
Sample : P2695-12
Misc : 5.20g/10.0mL/MSVOA_V/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 05 04:04:22 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 05 04:01:54 2024
Response via : Initial Calibration

