

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060519\
 Data File : VV011231.D
 Acq On : 05 Jun 2019 15:56
 Operator : SY/MD
 Sample : K3197-03
 Misc : 25ML/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F9P41

Quant Time: Jun 06 06:44:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR060419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Jun 06 05:43:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	165924	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	153364	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	69343	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	75512	6.01	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	120.20%
7) Chloroethane-d5	1.58	69	47799	4.57	ug/L	0.02
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.40%
11) 1,1-Dichloroethene-d2	2.12	63	104109	4.14	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	82.80%
20) 2-Butanone-d5	3.98	46	128795	45.50	ug/L	0.04
Spiked Amount	50.000	Range	40 - 130	Recovery	=	91.00%
24) Chloroform-d	4.40	84	106265	4.80	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.00%
26) 1,2-Dichloroethane-d4	5.08	65	57703	4.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.40%
32) Benzene-d6	5.09	84	230705	5.03	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.60%
36) 1,2-Dichloropropane-d6	6.12	67	69759	4.94	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.80%
41) Toluene-d8	7.36	98	206895	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.20%
43) trans-1,3-Dichloropropene-	7.66	79	22432	4.16	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.20%
46) 2-Hexanone-d5	8.14	63	106951	46.99	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.98%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	44265	4.59	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.80%
64) 1,2-Dichlorobenzene-d4	11.67	152	67927	4.96	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.20%

Target Compounds					Ovalue
14) Carbon disulfide	2.31	76	177506	5.597 ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060519\
Data File : VV011231.D
Acq On : 05 Jun 2019 15:56
Operator : SY/MD
Sample : K3197-03
Misc : 25ML/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F9P41

Quant Time: Jun 06 06:44:25 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR060419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jun 06 05:43:55 2019
Response via : Initial Calibration

