

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV061219\
 Data File : VV011495.D
 Acq On : 14 Jun 2019 08:38
 Operator : SY/MD
 Sample : K3313-17DL 5X
 Misc : 25ML/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COM08DL

Manual Integrations
 APPROVED

MMDadoda
 6/14/2019 4:59:01 PM

Quant Time: Jun 14 09:30:19 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR060419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 14 09:13:02 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	125200	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	115746	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	45427	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	42587	4.49	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.80%
7) Chloroethane-d5	1.58	69	35697	4.53	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.60%
11) 1,1-Dichloroethene-d2	2.12	63	80784	4.26	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	85.20%
20) 2-Butanone-d5	3.98	46	110255	51.62	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.24%
24) Chloroform-d	4.40	84	84228	5.05	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.00%
26) 1,2-Dichloroethane-d4	5.08	65	49758	5.51	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	110.20%
32) Benzene-d6	5.09	84	176256	5.09	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.80%
36) 1,2-Dichloropropane-d6	6.12	67	53593	5.02	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.40%
41) Toluene-d8	7.36	98	146834	4.62	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.40%
43) trans-1,3-Dichloropropene-	7.67	79	14439	3.55	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	71.00%
46) 2-Hexanone-d5	8.15	63	91606	53.33	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	106.66%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	36250	4.98	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.60%
64) 1,2-Dichlorobenzene-d4	11.67	152	46172	5.15	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.00%

Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	3.96	96	8274	0.846 ug/L	96
29) 1,1,1-Trichloroethane	4.66	97	6911m	0.468 ug/L	
34) Trichloroethene	5.96	95	110065	11.568 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV061219\
Data File : VV011495.D
Acq On : 14 Jun 2019 08:38
Operator : SY/MD
Sample : K3313-17DL 5X
Misc : 25ML/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
COM08DL

Manual Integrations
APPROVED

MMDadoda
6/14/2019 4:59:01 PM

Quant Time: Jun 14 09:30:19 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR060419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 14 09:13:02 2019
Response via : Initial Calibration





#22





cis-1,2-Dichloroethene
 Concen: 0.846 ug/L
 RT: 3.96 min Scan# 892
 Delta R.T. 0.00 min
 Lab File: VV011495.D
 Acq: 14 Jun 2019 08:38

Instrument :
 MSVOA_V
 ClientSampleId :
 COM08DL

Tot Ion	Ratio	Lower	Upper
96	100		
61	138.8	100.8	187.2
68	0.0	0.0	0.0

Manual Integrations
 APPROVED




MMDadoda
 6/14/2019 4:59:01 PM




#29

1,1,1-Trichloroethane
 Concen: 0.468 ug/L m
 RT: 4.66 min Scan# 1109
 Delta R.T. 0.00 min
 Lab File: VV011495.D
 Acq: 14 Jun 2019 08:38

Tgt Ion	Ratio	Lower	Upper
97	100		
99	31.3	50.8	76.2#
61	54.1	38.9	58.3





#34

Trichloroethene

Concen: 11.568 ug/L

RT: 5.96 min Scan# 1513

Delta R.T. 0.00 min

Lab File: VV011495.D

Acq: 14 Jun 2019 08:38

Instrument :

MSVOA_V

ClientSampleId :

COM08DL

Tot Ion: 95 Resp: 110065

Ion Ratio Lower Upper

95 100

97 63.2 45.8 85.2

132 90.3 66.4 123.2



130 95.4 68.3 126.8

Manual Integrations

APPROVED

MMDadoda

6/14/2019 4:59:01 PM



Abundance Ion 95.00 (94.70 to 95.70): VV011495.D (-1420) (-)

Ion 96.95 (96.65 to 97.65): VV011495.D (-1420) (-)

Ion 131.95 (131.65 to 132.65): VV011495.D (-1420) (-)

Ion 129.95 (129.65 to 130.65): VV011495.D (-1420) (-)

