

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV061324\
 Data File : VV036059.D
 Acq On : 13 Jun 2024 13:45
 Operator : SY/MD
 Sample : P2798-07
 Misc : 5.54g/10.0mL/MSVOA_V/SOIL/B
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Jun 14 01:18:27 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jun 14 01:10:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	240486	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	228078	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	89454	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.275	65	105929	23.959	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.840%
7) Chloroethane-d5	1.529	69	92388	26.206	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	104.840%
11) 1,1-Dichloroethene-d2	2.056	65	50026	25.416	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	101.680%
21) 2-Butanone-d5	3.822	46	15524	15.303	ug/L	-0.02
Spiked Amount	50.000	Range	20 - 135	Recovery	=	30.600%
24) Chloroform-d	4.249	84	184355	24.113	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.440%
26) 1,2-Dichloroethane-d4	4.940	65	77578	19.353	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	77.400%
32) Benzene-d6	4.957	84	347368	25.622	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	102.480%
36) 1,2-Dichloropropane-d6	5.989	67	106835	25.023	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.080%
41) Toluene-d8	7.243	98	268118	22.414	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	89.640%
43) trans-1,3-Dichloroprop...	7.561	79	25462	14.545	ug/L	0.01
Spiked Amount	25.000	Range	30 - 135	Recovery	=	58.200%
47) 2-Hexanone-d5	8.034	63	13848	23.940	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	47.880%
56) 1,1,2,2-Tetrachloroeth...	10.152	84	68233	21.387	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	85.560%
66) 1,2-Dichlorobenzene-d4	11.558	152	82266	25.078	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.320%
Target Compounds						
					Qvalue	
10) 1,1,2-Trichloro-1,2,2-...	2.056	101	1848	0.448	ug/L #	46
16) Methylene chloride	2.445	84	22069	4.056	ug/L	98
20) cis-1,2-Dichloroethene	3.825	96	5230	1.272	ug/L	87
46) Tetrachloroethene	7.905	164	4973	1.487	ug/L	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV061324\
Data File : VV036059.D
Acq On : 13 Jun 2024 13:45
Operator : SY/MD
Sample : P2798-07
Misc : 5.54g/10.0mL/MSVOA_V/SOIL/B
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :


Quant Time: Jun 14 01:18:27 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jun 14 01:10:24 2024
Response via : Initial Calibration








#10
1,1,2-Trichloro-1,2,2-trifluoroethane
Concen: 0.448 ug/L
RT: 2.056 min Scan# 317
Delta R.T. -0.003 min
Lab File: VV036059.D
Acq: 13 Jun 2024 13:45

Instrument :
MSVOA_V
ClientSampleId :







Tgt Ion:101 Resp: 1848
Ion Ratio Lower Upper
101 100
85 17.2 34.5 51.7#
151 19.0 56.3 84.5#



#16
Methylene chloride
Concen: 4.056 ug/L
RT: 2.445 min Scan# 437
Delta R.T. 0.006 min
Lab File: VV036059.D
Acq: 13 Jun 2024 13:45

Tgt Ion: 84 Resp: 22069
Ion Ratio Lower Upper
84 100
86 66.0 44.6 82.8
49 117.9 81.1 150.5









#20
cis-1,2-Dichloroethene
Concen: 1.272 ug/L
RT: 3.825 min Scan# 866
Delta R.T. 0.019 min
Lab File: VV036059.D
Acq: 13 Jun 2024 13:45

Instrument :
MSVOA_V
ClientSampleId :

Tgt Ion:	96	Resp:	5230
Ion Ratio	Lower	Upper	
96	100		
61	106.4	87.9	163.3
98	60.0	44.4	82.5



#46
Tetrachloroethene
Concen: 1.487 ug/L
RT: 7.905 min Scan# 2135
Delta R.T. 0.006 min
Lab File: VV036059.D
Acq: 13 Jun 2024 13:45

Tgt Ion:	164	Resp:	4973
Ion Ratio	Lower	Upper	
164	100		
129	88.0	64.6	120.0
131	84.4	63.2	117.4
166	100.8	89.5	166.3

