

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV061324\
 Data File : VV036068.D
 Acq On : 13 Jun 2024 17:12
 Operator : SY/MD
 Sample : P2775-17
 Misc : 5.11g/10.0mL/MSVOA_V/SOIL/B
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4D46

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 06/20/2024
 Supervised By :Semsettin Yesilyurt 06/20/2024

Quant Time: Jun 14 01:20:44 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jun 14 01:10:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	361460	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	341636	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	124902	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.272	65	107219	16.134	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	64.520%		
7) Chloroethane-d5	1.526	69	108169	20.414	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	81.640%		
11) 1,1-Dichloroethene-d2	2.050	65	53652	18.136	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	72.560%		
21) 2-Butanone-d5	3.873	46	24083m	15.795	ug/L	0.03
Spiked Amount 50.000	Range 20 - 135		Recovery =	31.600%		
24) Chloroform-d	4.246	84	251506	21.886	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	87.560%		
26) 1,2-Dichloroethane-d4	4.940	65	129337	21.466	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	85.880%		
32) Benzene-d6	4.957	84	415582	20.464	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	81.840%		
36) 1,2-Dichloropropane-d6	5.985	67	155003	24.238	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	96.960%		
41) Toluene-d8	7.243	98	301548	16.829	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	67.320%		
43) trans-1,3-Dichloroprop...	7.558	79	35726	13.625	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	54.480%		
47) 2-Hexanone-d5	8.043	63	12478	14.401	ug/L	0.01
Spiked Amount 50.000	Range 20 - 135		Recovery =	28.800%		
56) 1,1,2,2-Tetrachloroeth...	10.152	84	113446	23.739	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	94.960%		
66) 1,2-Dichlorobenzene-d4	11.558	152	102315	22.338	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	89.360%		
Target Compounds						Qvalue
16) Methylene chloride	2.442	84	54217	6.629	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV061324\
Data File : VV036068.D
Acq On : 13 Jun 2024 17:12
Operator : SY/MD
Sample : P2775-17
Misc : 5.11g/10.0mL/MSVOA_V/SOIL/B
ALS Vial : 23 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
A4D46

Quant Time: Jun 14 01:20:44 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jun 14 01:10:24 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/20/2024
Supervised By :Semsettin Yesilyurt 06/20/2024





#16
Methylene chloride
Concen: 6.629 ug/L
RT: 2.442 min Scan# 41
Delta R.T. 0.003 min
Lab File: VV036068.D
Acq: 13 Jun 2024 17:12

Instrument :
MSVOA_V
ClientSampleId :
A4D46



Tgt Ion: 84 Resp: 5421
Ion Ratio Lower Upper
84 100
86 63.8 44.6 82.8
49 115.7 81.1 150.5

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 06/20/2024
Supervised By :Semsettin Yesilyurt 06/20/2024

