

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW061822\
 Data File : VW026433.D
 Acq On : 18 Jun 2022 19:42
 Operator : SY/MD
 Sample : VIBLK
 Misc : 25mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK259

Quant Time: Jun 20 09:46:51 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR061522WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jun 15 11:55:03 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.622	114	265967	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	236362	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	103541	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.326	65	97518	4.221	ug/L	0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.400%
7) Chloroethane-d5	1.587	69	80376	4.425	ug/L	0.01
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.600%
11) 1,1-Dichloroethene-d2	2.124	63	138469	3.490	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.800%
20) 2-Butanone-d5	3.924	46	109255	46.771	ug/L	0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.540%
24) Chloroform-d	4.362	84	174204	5.145	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.800%
26) 1,2-Dichloroethane-d4	5.040	65	69880	4.878	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.600%
32) Benzene-d6	5.059	84	356134	5.636	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	112.800%
36) 1,2-Dichloropropane-d6	6.075	67	101763	5.131	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.600%
41) Toluene-d8	7.317	98	308599	5.356	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	107.200%
43) trans-1,3-Dichloroprop...	7.625	79	26561	4.441	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.800%
46) 2-Hexanone-d5	8.091	63	91303	50.474	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.940%
56) 1,1,2,2-Tetrachloroeth...	10.214	84	59401	5.228	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.600%
66) 1,2-Dichlorobenzene-d4	11.622	152	92937	5.827	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	116.600%
Target Compounds						Qvalue
14) Carbon disulfide	2.317	76	77307	1.866	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV061822\
Data File : VV026433.D
Acq On : 18 Jun 2022 19:42
Operator : SY/MD
Sample : VIBLK
Misc : 25mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK259

Quant Time: Jun 20 09:46:51 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR061522WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jun 15 11:55:03 2022
Response via : Initial Calibration

